




TYPES OF ICE



Crescent Cube - Individual, hard, clear, crescent shape

Ice Equipment:

KM KMD
KML KMS
KMH DKM models



"Top Hat" Cube - Individual, hard, clear, round shape

Ice Equipment:


AM models



Cubelet - Chewable, soft, light, small nugget shape

Ice Equipment:


C FS-C
FD-C DCM models
F-C



Flaked - Soft, light, chewable, various shapes

Ice Equipment:

F models




SPECIALTY ICE

Ice Equipment: IM models




Sphere

1.8" in diameter,
clear and solid




Square Cube

Individual, hard, clear, square
shape



CUBER SERIES


Features & Benefits of the AM Cuber



- Attractive stainless steel finish
- Individual top-hat style cubes eliminates clumping and allow for easy filling of glass
- **AM Series Cubers** were designed with fewer moving parts, which contribute to its long life and dependability
- Compact size (less than 15 inches wide), undercounter design, swing style reversible door, and UL approval for outdoor use, expand the possibilities where this machine can be installed
- Front-in and front-out airflow allows unit to be built into cabinetry without additional ventilation
- Ice-making compartment can be easily disassembled for cleaning
- Door system is designed to accommodate custom cabinetry
- ADA Compliant models available



Features & Benefits of the KM Cuber



KM|EDGE DESIGN


- Benefits include increased productivity and energy savings, even in harsh water conditions
- The **KMEdge Cuber Series** features an attractive stainless steel finish with the simplest ice making system in the industry
- The exclusive dual-sided stainless steel evaporator has oval-shaped copper refrigerant tubing for the most efficient heat exchange
- HOSHIZAKI's evaporator design freezes the purest water, washing most of the minerals and impurities down the drain; resulting in individual, crystal clear crescent cubes
- Not affected by caustic water, therefore no plating to peel or flake and no plastic to crack
- CycleSaver™ design allows production of the same amount of ice in half the cycles of other ice machines. Fewer moving parts and cycles means dependability, longer machine life and energy savings!
- EverCheck™ control board sounds an audible warning when service is needed
- Contains H-GUARD Plus® Antimicrobial Agent






CUBER Self-Contained

AM-50BAJ



-DS shown with Custom Cabinetry



Undercounter AM Cubers with Built-In Bins

Dimensions: 14 ⁷/₈"W X 22 ⁵/₈"D X 33 ¹/₂"H
The ADA compliant machine dimensions are 14⁷/₈"W x 22⁵/₈"D x 31¹/₂"H

Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
AM-50BAJ	Air-Cooled	35	51	115V/60/1	10.4	97 Lbs.	\$4,760
AM-50BAJ-DS†	Air-Cooled	35	51	115V/60/1	10.4	97 Lbs.	\$4,940
AM-50BAJ-AD*	Air-Cooled	34	55	115V/60/1	9.9	99 Lbs.	\$5,050
AM-50BAJ-ADDS†*	Air-Cooled	34	55	115V/60/1	9.9	99 Lbs.	\$5,190




Accessories: **HS-0229** DS Door Reversal Part (*Order as a Service Part*)

HS-5061 Drain Pump (Beckett Brand) 1 Year Warranty - Parts & labor (*Order as Accessory*) \$810

HS-0182 Side Trim Kit \$310


HS-2133 2" Top Spacer Kit available \$230


H9320-51 Recommended Water Filtration - Single Configuration \$480

UL approved for outdoor use
†DS Models - Wood Door System (Designed to accommodate custom cabinetry)
*ADA compliant

KM-81BAJ











Undercounter KMEdge Cuber with Built-In Bin

Dimensions: 17 ³/₄"W X 24"D X 39"H (6" Legs Included)

Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
KM-81BAJ*	Air-Cooled	52	78	115V/60/1	8.45	125 Lbs.	\$4,270


Accessories: **HS-5061** Drain Pump (Beckett Brand) 1 Year Warranty - Parts & labor (*Order as Accessory*) \$810


H9320-51 Recommended Water Filtration - Single Configuration \$480

†Rated in accordance with AHRI Standard 820(I-P). Capacity based on 100% of total volume x 30 lb/ft³ average density of ice.
*ENERGY STAR qualified

KM-116BAJ





Undercounter KMEdge Cuber with Built-In Bin

Dimensions: 23 ³/₄"W X 24"D X 39"H (6" Legs Included)

Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
KM-116BAJ*	Air-Cooled	100	125	115V/60/1	8.1	146 Lbs.	\$4,810








Accessories: **HS-5061** Drain Pump (Beckett Brand) 1 Year Warranty - Parts & labor (*Order as Accessory*) \$810








H9320-51 Recommended Water Filtration - Single Configuration \$480





†Rated in accordance with AHRI Standard 820(I-P). Capacity based on 100% of total volume x 30 lb/ft³ average density of ice.
*ENERGY STAR qualified



CUBER Self-Contained

			Undercounter KMEdge Cuber with Built-In Bin					
			Dimensions: 23 ³ / ₄ "W X 28 ¹ / ₄ "D X 39"H (6" Legs Included)					Self-Contained Bin Storage Capacity Up to 78 Lbs.†
	Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
	KM-161BAJ	Air-Cooled	123	163	115V/60/1	8.6	159 Lbs.	\$5,280
	KM-161BWJ	Water-Cooled	135	153	115V/60/1	6.5	163 Lbs.	\$5,590
Accessories: H9320-51 Recommended Water Filtration - Single Configuration								\$480
<div></div>								
†Rated in accordance with AHRI Standard 820(I-P). Capacity based on 100% of total volume x 30 lb/ft³ average density of ice.								


			Undercounter KMEdge Cuber with Built-In Bin					
			Dimensions: 24"W X 28"D X 39"H (6" Legs Included)					Self-Contained Bin Storage Capacity Up to 80 Lbs. [†]
	Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
	KM-231BAJ	Air-Cooled	147	213	115V/60/1	8.4	165 Lbs.	\$5,720
Accessories: H9320-51 Recommended Water Filtration - Single Configuration								\$480
<div></div>								
†Rated in accordance with AHRI Standard 820(I-P). Capacity based on 100% of total volume x 30 lb/ft³ average density of ice.								

			Undercounter KMEdge Cuber with Built-In Bin					
			Dimensions: 30"W X 28"D X 39"H (6" Legs Included)					Self-Contained Bin Storage Capacity Up to 100 Lbs.†
	Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
KM-301BAJ	Air-Cooled	212	290	115V/60/1	7.1	206 Lbs.	\$6,680	
KM-301BWJ	Water-Cooled	237	285	115V/60/1	4.90	189 Lbs.	\$6,740	
Accessories: H9320-51 Recommended Water Filtration - Single Configuration							\$480	
<div><div> UL CERTIFIED 7500000000 MH48989</div><div> AHRI CERTIFIED 1000</div></div>								




KMEDGE^X ICE MACHINE SERIES

- **Reliable operation** with stronger, more durable construction, less service parts, and increased ice production.
- **Easier installation** with a more compact footprint and factory installed ultrasonic bin control.
- **Simple maintenance** with new CleanAssist technology and redesigned float switch for one-hour cleaning.



KM-350M_J



KMEdge X Series Cubers

Ice Machine Dimensions: 22"W X 27 ³/₈"D X 28"H

Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
KM-350MAJ*	Air-Cooled	393	489	115V/60/1	5.4	175 Lbs.	\$6,800
KM-350MWJ	Water-Cooled	383	414	115V/60/1	4.9	175 Lbs.	\$6,820

Accessories:	H9320-51	Recommended Water Filtration - Single Configuration	\$480
	HS-5426	Tamper Proof Kit - Air-Cooled Units	\$540
	HS-5427	Tamper Proof Kit - Water/Remote Units	\$540



*ENERGY STAR qualified



22 x 32 1/2 x 74




30 x 32 1/2 x 74



44 x 32 1/2 x 74



48 x 32 1/2 x 74




52 x 32 1/2 x 74

Dimensions shown in W x D x H include Bins. See TOP KIT MATRIX (pg 36) for top kit options based on bin size.



CUBER

KM-520M_J



KMEdge X Series Cubers

Ice Machine Dimensions: 22"W X 27 ^{3/8}"D X 28"H

Model Number	Condenser	Lbs. of Ice per 24 hours 90°F / 70°F	Lbs. of Ice per 24 hours 70°F / 50°F	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
KM-520MAJ*	Air-Cooled	480	556	115V/60/1	4.7	175 Lbs.	\$7,400
KM-520MWJ	Water-Cooled	444	474	115V/60/1	4.7	175 Lbs.	\$7,400
KM-520MRJ*	Remote A-C	495	547	115V/60/1	4.8	175 Lbs.	\$7,280
KM-520MRJZ*†	Remote A-C	495	547	115V/60/1	4.8	175 Lbs.	\$7,280
Model Number	Condenser	Kgs. of Ice per 24 hours 32°F / 21°F	Kgs. of Ice per 24 hours 21°F / 10°F	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
KM-520MAJ-E*	Air-Cooled	197	238	220-240V/50/1	4.9	68 Kg.	\$7,460

Accessories: H9320-51 Recommended Water Filtration - Single Configuration \$480
 HS-5426 Tamper Proof Kit - Air-Cooled Units \$540
 HS-5427 Tamper Proof Kit - Water/Remote Units \$540



Use URC-5F Condenser for Remote Air-Cooled Unit

"E" suffix designates 50 hertz model
 see spec sheet for certifications

†Always pair "Z" model ice machines with "Z" model remote condenser.

*ENERGY STAR qualified



22 x 32 1/2 x 74



30 x 32 1/2 x 74



44 x 32 1/2 x 74



48 x 32 1/2 x 74



52 x 32 1/2 x 74

Dimensions shown in W x D x H include Bins. See TOP KIT MATRIX (pg 36) for top kit options based on bin size.

KM-660M_J



KMEdge X Series Cubers

Ice Machine Dimensions: 22"W X 27 ^{3/8}"D X 28"H

Model Number	Condenser	Lbs. of Ice per 24 hours 90°F / 70°F	Lbs. of Ice per 24 hours 70°F / 50°F	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
KM-660MAJ	Air-Cooled	617	665	115V/60/1	5.1	180 Lbs.	\$8,590
KM-660MWJ	Water-Cooled	668	669	115V/60/1	4.3	180 Lbs.	\$8,710
KM-660MRJ*	Remote A-C	602	646	115V/60/1	5.6	180 Lbs.	\$8,480
KM-660MRJZ*†	Remote A-C	602	646	115V/60/1	5.6	180 Lbs.	\$8,480
Model Number	Condenser	Kgs. of Ice per 24 hours 32°F / 21°F	Kgs. of Ice per 24 hours 21°F / 10°F	Electrical	kWh per 45 Kgs.	Shipping Weight	List F.O.B. Griffin
KM-660MAJ-E	Air-Cooled	262	280	220-240V/50/1	4.9	68 Kg.	\$8,670

Accessories: H9320-51 Recommended Water Filtration - Single Configuration \$480
 HS-5426 Tamper Proof Kit - Air-Cooled Units \$540
 HS-5427 Tamper Proof Kit - Water/Remote Units \$540



Use URC-5F Condenser for Remote Air-Cooled Unit

"E" suffix designates 50 hertz model
 see spec sheet for certifications

†Always pair "Z" model ice machines with "Z" model remote condenser.

*ENERGY STAR qualified



22 x 32 1/2 x 74



30 x 32 1/2 x 74



44 x 32 1/2 x 74



48 x 32 1/2 x 74




52 x 32 1/2 x 74

Dimensions shown in W x D x H include Bins. See TOP KIT MATRIX (pg 36) for top kit options based on bin size.



KM-901M_J



KMEdge Cubers

Ice Machine Dimensions: 30"W X 27 ³/₈"D X 32 ¹/₂"H

Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
KM-901MAJ	Air-Cooled	753	905	208-230V/60/1	5.0	260 Lbs.	\$11,130
KM-901MWJ	Water-Cooled	870	950	208-230V/60/1	3.6	250 Lbs.	\$11,390
KM-901MRJ*	Remote A-C	853	904	208-230V/60/1	4.5	250 Lbs.	\$11,000
KM-901MRJZ*†	Remote A-C	780	900	208-230V/60/3	4.75	255 Lbs.	\$11,000
KM-901MRJ3*	Remote A-C	830	927	208-230V/60/3	4.4	250 Lbs.	\$11,390

Accessories: H9320-52 Recommended Water Filtration - Twin Configuration
 HS-5245 Tamper Proof Kit - Air-Cooled Units
 HS-5246 Tamper Proof Kit - Water/Remote Units

\$810
 \$620
 \$620



Use URC-14F Condenser for Remote Air-Cooled Unit

†Always pair "Z" model ice machines with "Z" model remote condenser.




30 x 32 1/2 x 78 1/2



44 x 32 1/2 x 78 1/2




48 x 32 1/2 x 78 1/2



52 x 32 1/2 x 78 1/2

Dimensions shown in W x D x H include Bins. See TOP KIT MATRIX (pg 36) for top kit options based on bin size.

KM-1100M_J



KMEdge Cubers

Ice Machine Dimensions: 30"W X 27 ³/₈"D X 32 ¹/₂"H

Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
KM-1100MAJ	Air-Cooled	935	1087	208-230V/60/1	4.9	290 Lbs.	\$12,850
KM-1100MWJ	Water-Cooled	1006	1073	208-230V/60/1	4.0	280 Lbs.	\$12,980
KM-1100MRJ	Remote A-C	1030	1156	208-230V/60/1	4.5	272 Lbs.	\$12,850
KM-1100MRJZ†	Remote A-C	1030	1156	208-230V/60/1	4.5	272 Lbs.	\$17,450

Model Number	Condenser	Kgs. of Ice per 24 hours 32°A / 21°W	Kgs. of Ice per 24 hours 21°A / 10°W	Electrical	kWh per 45 Kgs.	Shipping Weight	List F.O.B. Griffin
KM-1100MAJ50	Air-Cooled	356	464	220-240V/50/1	5.7	136 Kg.	\$13,100

Accessories: H9320-52 Recommended Water Filtration - Twin Configuration
 HS-5245 Tamper Proof Kit - Air-Cooled Units
 HS-5246 Tamper Proof Kit - Water/Remote Units

\$810
 \$620
 \$620



Use URC-14F Condenser for Remote Air-Cooled Unit

"E" suffix designates 50 hertz model see spec sheet for certifications

†Always pair "Z" model ice machines with "Z" model remote condenser.



30 x 32 1/2 x 78 1/2



44 x 32 1/2 x 78 1/2



48 x 32 1/2 x 78 1/2



52 x 32 1/2 x 78 1/2

Dimensions shown in W x D x H include Bins. See TOP KIT MATRIX (pg 36) for top kit options based on bin size.



CUBER

KM-1301S_J



KMEdge Cubers

Ice Machine Dimensions: 48"W X 27 3/8"D X 27 3/8"H



Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
KM-1301SAJ	Air-Cooled	1301	1365	208-230V/60/1	4.27	338 Lbs.	\$14,430
KM-1301SWJ	Water-Cooled	1230	1247	208-230V/60/1	3.76	335 Lbs.	\$14,550
KM-1301SRJ	Remote A-C	1260	1400	208-230V/60/1	4.28	339 Lbs.	\$14,310
KM-1301SAJ3*	Air-Cooled	1350	1427	208-230V/60/3	3.95	338 Lbs.	\$14,550
KM-1301SWJ3	Water-Cooled	1355	1360	208-230V/60/3	3.25	335 Lbs.	\$14,690
KM-1301SRJ3*	Remote A-C	1330	1433	208-230V/60/3	3.83	339 Lbs.	\$14,430
Model Number	Condenser	Kgs. of Ice per 24 hours 32°A / 21°W	Kgs. of Ice per 24 hours 21°A / 10°W	Electrical	kWh per 45 Kgs.	Shipping Weight	List F.O.B. Griffin
KM-1301SAJ-E	Air-Cooled	501	624	220-240/50/1	4.5	154 Kgs.	\$15,220


Accessories: **H9320-53** Recommended Water Filtration - Triple Configuration \$1,130
HS-5252 Tamper Proof Kit - Air-Cooled Units \$680
HS-5253 Tamper Proof Kit - Water/Remote Units \$680



Use URC-14F Condenser for Remote Air-Cooled Unit

"E" suffix designates 50 hertz model
see spec for certifications


*ENERGY STAR qualified



48 x 32 1/2 x 73 3/8 48 x 32 1/2 x 101 3/4 52 x 32 1/2 x 73 3/8 52 x 32 1/2 x 101 3/4

Dimensions shown in W x D x H include Bins. See TOP KIT MATRIX (pg 36) for top kit options based on bin size.

KM-1340M_J



KMEdge Cubers

Ice Machine Dimensions: 30"W X 27 3/8"D X 41 1/2"H




Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
KM-1340MAJ	Air-Cooled	1089	1275	208-230V/60/1**	4.81	315 Lbs.	\$14,690
KM-1340MWJ	Water-Cooled	1280	1323	208-230V/60/1**	3.6	315 Lbs.	\$14,810
KM-1340MRJ	Remote A-C	1177	1371	208-230V/60/1**	4.54	289 Lbs.	\$14,550
KM-1340MRJ3*	Remote A-C	1266	1428	208-230V/60/3	4.16	289 Lbs.	\$14,810

Accessories: ****HS-5030** Transformer Kit - 4 wire to 3 wire (eliminates need for dedicated neutral) \$220
H9320-53 Recommended Water Filtration - Triple Configuration \$1,130



Use URC-14F Condenser for Remote Air-Cooled Unit

*ENERGY STAR qualified




30 x 32 1/2 x 87 1/2 44 x 32 1/2 x 87 1/2 48 x 32 1/2 x 87 1/2 52 x 32 1/2 x 87 1/2

Dimensions shown in W x D x H include Bins. See TOP KIT MATRIX (pg 36) for top kit options based on bin size.



KM-1601MRJ



KM Edge Cubers

Ice Machine Dimensions: 30"W X 27 ³/₈" D X 41 ⁵/₈" H


Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
KM-1601MRJ	Remote A-C	1550	1594	208-230V/60/1	4.35	316 Lbs.	\$17,270
KM-1601MRJZ†	Remote A-C	1550	1594	208-230V/60/1	4.35	316 Lbs.	\$17,270
KM-1601MRJ3	Remote A-C	1550	1653	208-230V/60/3	4.09	316 Lbs.	\$17,660

Accessories: **HS-5030 Transformer Kit - 4 wire to 3 wire (eliminates need for dedicated neutral) \$220
H9320-53 Recommended Water Filtration - Triple Configuration \$1,130



Use URC-22F Condenser for Remote Air-Cooled Unit


†Always pair "Z" model ice machines with "Z" model remote condenser.



30 x 32 1/2 x 87 1/2 44 x 32 1/2 x 87 1/2 48 x 32 1/2 x 87 1/2 52 x 32 1/2 x 87 1/2

Dimensions shown in W x D x H include Bins. See TOP KIT MATRIX (pg 36) for top kit options based on bin size.

KM-1601S_J



KM Edge Cubers

Ice Machine Dimensions: 48"W X 27 ³/₈" D X 27 ³/₈" H

Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
KM-1601SAJ	Air-Cooled	1433	1513	208-230V/60/1	4.24	345 Lbs.	\$17,090
KM-1601SWJ	Water-Cooled	1650	1660	208-230V/60/1	3.30	335 Lbs.	\$17,140
KM-1601SRJ*	Remote A-C	1600	1640	208-230V/60/1	3.96	315 Lbs.	\$17,000
KM-1601SAJ3	Air-Cooled	1414	1513	208-230V/60/3	4.40	350 Lbs.	\$17,220
KM-1601SWJ3	Water-Cooled	1660	1671	208-230V/60/3	3.32	345 Lbs.	\$17,250
KM-1601SRJ3	Remote A-C	1600	1635	208-230V/60/3	4.14	355 Lbs.	\$17,140

Accessories: HS-5030 Transformer Kit - 4 wire to 3 wire (eliminates need for dedicated neutral) \$220
H9320-53 Recommended Water Filtration - Triple Configuration \$1,130
HS-5252 Tamper Proof Kit - Air-Cooled Units \$680
HS-5253 Tamper Proof Kit - Water/Remote Units \$680



Use URC-22F Condenser for Remote Air-Cooled Unit

*ENERGY STAR qualified




48 x 32 1/2 x 73 3/8 48 x 32 1/2 x 101 3/4 52 x 32 1/2 x 73 3/8 52 x 32 1/2 x 101 3/4


Dimensions shown in W x D x H include Bins. See TOP KIT MATRIX (pg 36) for top kit options based on bin size.



CUBER

KM-1900S_J









KM Edge Cubers

Ice Machine Dimensions: 48"W X 27 ³/₈"D X 36 ⁷/₁₆"H

Model Number	Condenser	Lbs. of Ice per 24 hours 90°F / 70°F W	Lbs. of Ice per 24 hours 70°F / 50°F W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
KM-1900SAJ*	Air-Cooled	1675	1875	208-230V/60/1	3.9	415 Lbs.	\$18,510
KM-1900SWJ	Water-Cooled	1875	1880	208-230V/60/1	3.2	415 Lbs.	\$18,630
KM-1900SRJ*	Remote A-C	1700	1933	208-230V/60/1	3.9	415 Lbs.	\$18,390
KM-1900SRJZ†*	Remote A-C	1700	1933	208-230V/60/1	3.9	415 Lbs.	\$18,390
KM-1900SAJ3*	Air-Cooled	1700	1933	208-230V/60/3	3.9	415 Lbs.	\$18,630
KM-1900SWJ3	Water-Cooled	1675	1865	208-230V/60/3	3.9	415 Lbs.	\$18,770
KM-1900SRJ3*	Remote A-C	1875	1880	208-230V/60/3	3.2	415 Lbs.	\$18,510
KM-1900SRJZ3†*	Remote A-C	1700	1933	208-230V/60/3	3.9	415 Lbs.	\$18,510





Accessories: **HS-5030** Transformer Kit - 4 wire to 3 wire (eliminates need for dedicated neutral) \$220
H9320-53 Recommended Water Filtration - Triple Configuration \$1,130

Use URC-22F Condenser for Remote Air-Cooled Unit

***ENERGY STAR qualified**


†Always pair "Z" model ice machines with "Z" model remote condenser.







48 x 32 1/2 x 82 7/16 48 x 32 1/2 x 119 7/8 52 x 32 1/2 x 82 7/16 52 x 32 1/2 x 119 7/8

Dimensions shown in W x D x H include Bins. See TOP KIT MATRIX (pg 36) for top kit options based on bin size.

KM-2200S_J3









KM Edge Cubers

Ice Machine Dimensions: 48"W X 27 ³/₈"D X 36 ⁷/₁₆"H

Model Number	Condenser	Lbs. of Ice per 24 hours 90°F / 70°F W	Lbs. of Ice per 24 hours 70°F / 50°F W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
KM-2200SWJ3	Water-Cooled	2200	2221	208-230V/60/3	3.11	400 Lbs.	\$23,330
KM-2200SRJ3*	Remote A-C	2075	2206	208-230V/60/3	3.75	400 Lbs.	\$23,330
KM-2200SRJZ3†*	Remote A-C	2075	2206	208-230V/60/3	3.75	400 Lbs.	\$23,330





Accessories: **H9320-53** Recommended Water Filtration - Triple Configuration \$1,130

Use URC-22F Condenser for Remote Air-Cooled Unit

***ENERGY STAR qualified**

†Always pair "Z" model ice machines with "Z" model remote condenser.








48 x 32 1/2 x 82 7/16 48 x 32 1/2 x 119 7/8 52 x 32 1/2 x 82 7/16 52 x 32 1/2 x 119 7/8

Dimensions shown in W x D x H include Bins. See TOP KIT MATRIX (pg 36) for top kit options based on bin size.



KM-2600S_J3













KMEdge Cubers

Ice Machine Dimensions: 48"W X 27 ³/₈"D X 36 ⁷/₁₆"H

Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
KM-2600SWJ3	Water-Cooled	2480	2482	208-230V/60/3	3.6	440 Lbs.	\$26,410
KM-2600SRJ3*	Remote A-C	2580	2617	208-230V/60/3	3.61	440 Lbs.	\$25,330
KM-2600SRJZ3*	Remote A-C	2580	2617	208-230V/60/3	3.61	440 Lbs.	\$25,330

Accessories: **H9320-53** Recommended Water Filtration - Triple Configuration \$1,130

Use URC-26J Condenser for Remote Air-Cooled Unit


***ENERGY STAR qualified**


†Always pair "Z" model ice machines with "Z" model remote condenser.

48 x 32 1/2 x 82 7/16 48 x 32 1/2 x 119 7/8 52 x 32 1/2 x 82 7/16 52 x 32 1/2 x 119 7/8

Dimensions shown in W x D x H include Bins. See TOP KIT MATRIX (pg 36) for top kit options based on bin size.

KMH-2100S_J









KMEdge Cubers

Ice Machine Dimensions: 36"W X 40"D X 36 ⁷/₁₆"H

Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
KMH-2100SWJ3	Water-Cooled	2000	2060	208-230V/60/3	2.92	415 Lbs.	\$21,970
KMH-2100SRJ*	Remote A-C	1850	2034	208-230V/60/1	3.75	415 Lbs.	\$22,090
KMH-2100SRJZ*	Remote A-C	1925	2026	208-230V/60/3	3.67	415 Lbs.	\$22,220
KMH-2100SRJZ3†*	Remote A-C	1925	2026	208-230V/60/3	3.67	415 Lbs.	\$22,220

Accessories: **HS-5030** Transformer Kit - 4 wire to 3 wire (eliminates need for dedicated neutral) \$220
H9320-53 Recommended Water Filtration - Triple Configuration \$1,130








Use URC-22F Condenser for Remote Air-Cooled Unit

***ENERGY STAR qualified**

†Always pair "Z" model ice machines with "Z" model remote condenser.

KMD-410M_J










KMEdge Cubers

Ice Machine Dimensions: 22"W X 24"D X 24"H

Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
KMD-410MAJ	Air-Cooled	351	418	115-120V/60/1	5.7	161 Lbs.	\$6,970
KMD-410MWJ	Water-Cooled	382	440	115-120V/60/1	4.3	163 Lbs.	\$7,280

Accessories: **H9320-51** Recommended Water Filtration - Single Configuration \$480


22 x 30 1/2 x 35 3/8 22 x 32 1/2 x 68 1/8


Dimensions shown in W x D x H include Bins. See TOP KIT MATRIX (pg 36) for top kit options based on bin size.



CUBER Dispenser

KMD-460M_J









KMEdge Cubers

Ice Machine Dimensions: 30"W X 24 1/4"D X 22 1/8"H


Model Number	Condenser	Lbs. of Ice per 24 hours 90°F / 70°F W	Lbs. of Ice per 24 hours 70°F / 50°F W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
KMD-460MAJ	Air-Cooled	400	440	115-120V/60/1	5.5	170 Lbs.	\$7,330
KMD-460MWJ	Water-Cooled	472	487	115-120V/60/1	4.1	170 Lbs.	\$7,450

Accessories: H9320-51 Recommended Water Filtration - Single Configuration \$480




22 x 30 1/2 x 34




30 x 32 1/2 x 68 1/8

Dimensions shown in W x D x H include Bins. See TOP KIT MATRIX (pg 36) for top kit options based on bin size.

KMD-530M_J









KMEdge Cubers

Ice Machine Dimensions: 30"W X 24 1/4"D X 22 1/8"H


Model Number	Condenser	Lbs. of Ice per 24 hours 90°F / 70°F W	Lbs. of Ice per 24 hours 70°F / 50°F W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
KMD-530MAJ	Air-Cooled	442	501	115V/60/1	5.7	170 Lbs.	\$7,680
KMD-530MWJ	Water-Cooled	500	515	115V/60/1	4.7	170 Lbs.	\$7,790
KMD-530MRJ	Remote A-C	440	498	115V/60/1	6.1	170 Lbs.	\$7,540
KMD-530MRJZ†	Remote A-C	440	498	115V/60/1	6.1	170 Lbs.	\$7,540

Accessories: H9320-51 Recommended Water Filtration - Single Configuration \$480



22 x 30 1/2 x 34




30 x 32 1/2 x 68 1/8


Use URC-5F Condenser for Remote Air-Cooled Unit

†Always pair "Z" model ice machines with "Z" model remote condenser.

Dimensions shown in W x D x H include Bins. See TOP KIT MATRIX (pg 36) for top kit options based on bin size.

KMD-860M_J









KMEdge Cubers

Ice Machine Dimensions: 30"W X 24 5/8"D X 28"H


Model Number	Condenser	Lbs. of Ice per 24 hours 90°F / 70°F W	Lbs. of Ice per 24 hours 70°F / 50°F W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
KMD-860MAJ	Air-Cooled	665	855	208-230V/60/1	5.16	248 Lbs.	\$10,980
KMD-860MWJ	Water-Cooled	862	940	208-230V/60/1	3.90	258 Lbs.	\$11,100
KMD-860MRJ	Remote A-C	850	967	208-230V/60/1	5.05	256 Lbs.	\$10,850
KMD-860MRJZ†	Remote A-C	850	967	208-230V/60/1	5.05	256 Lbs.	\$10,850

Accessories: H9320-52 Recommended Water Filtration - Twin Configuration \$810








30 x 30 1/2 x 39 5/8



30 x 32 1/2 x 68 1/8



48 x 32 1/2 x 74

Use URC-9F Condenser for Remote Air-Cooled Unit

†Always pair "Z" model ice machines with "Z" model remote condenser.

Dimensions shown in W x D x H include Bins. See TOP KIT MATRIX (pg 36) for top kit options based on bin size.



CUBER Low Profile

KML-325M_J



Low Profile *KMEdge* Cubers

Ice Machine Dimensions: 30"W X 27 ^{3/8}"D X 22"H

Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
KML-325MAJ	Air-Cooled	300	380	115V/60/1	5.72	185 Lbs.	\$6,280
KML-325MWJ	Water-Cooled	355	385	115V/60/1	4.51	185 Lbs.	\$6,410

Accessories: H9320-51 Recommended Water Filtration - Single Configuration

\$480



30 x 32 1/2 x 55 3/8



30 x 32 1/2 x 68



30 x 30 x 75

Dimensions shown in W x D x H include Bins. See TOP KIT MATRIX (pg 36) for top kit options based on bin size.

KML-500M_J




Low Profile *KMEdge* Cubers

Ice Machine Dimensions: 30"W X 27 ^{3/8}"D X 22"H

Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
KML-500MAJ	Air-Cooled	400	442	115V/60/1	5.55	185 Lbs.	\$7,260
KML-500MWJ	Water-Cooled	515	543	115V/60/1	4.33	185 Lbs.	\$7,390

Accessories: H9320-51 Recommended Water Filtration - Single Configuration

\$480



30 x 32 1/2 x 55 3/8



30 x 32 1/2 x 68



30 x 30 x 75

Dimensions shown in W x D x H include Bins. See TOP KIT MATRIX (pg 36) for top kit options based on bin size.

KML-700M_J



Low Profile *KMEdge* Cubers

Ice Machine Dimensions: 30"W X 27 ^{3/8}"D X 26"H

Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
KML-700MAJ*	Air-Cooled	572	658	115V/60/1	4.90	204 Lbs.	\$8,890
KML-700MWJ	Water-Cooled	730	756	115V/60/1	3.79	202 Lbs.	\$9,000
KML-700MRJ*	Remote A-C	643	742	115V/60/1	4.90	200 Lbs.	\$8,760
KML-700MRJZ*†	Remote A-C	614	657	115V/60/1	4.90	200 Lbs.	\$8,760

Accessories: H9320-51 Recommended Water Filtration - Single Configuration

\$480



Use URC-9F Condenser for Remote Air-Cooled Unit

*ENERGY STAR qualified



30 x 32 1/2 x 59 3/8



30 x 32 1/2 x 72









30 x 30 x 79







Dimensions shown in W x D x H include Bins. See TOP KIT MATRIX (pg 36) for top kit options based on bin size.

†Always pair "Z" model ice machines with "Z" model remote condenser.



CUBER Serenity Series


			KMEdge Cuber					
	Ice Machine Dimensions: 22"W X 24 ^{5/8} "D X 28"H							
	Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
KMS-822MLJ using 1 Phase Remote Condenser	Remote A-C	770	851	115V/60/1 *	5.3	150 Lbs.	\$9,900	
Accessories:		HS-5062	Extension bracket for Freestyle application				\$190	
		H9320-52	Recommended Water Filtration - Twin Configuration				\$810	
								
Designed for use on beverage dispensers								
Use SRK-10J Condenser for Remote Air-Cooled Unit (sold separately)								
*115V supply for the KMS Ice maker is supplied from the SRK remote condenser								
								
				IBD 4500 22" 22 x 30 1/2 x 35 3/8				
								See TOP KIT MATRIX (pg 35) for top kit options based on bin size.

			KMEdge Cuber					
	Ice Machine Dimensions: 22”W X 18 1/8”D X 31 1/4”H							
	Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
KMS-1122MLJ using 1 Phase Remote Condenser	Remote A-C	1075	1151	115V/60/1 *	4.2	152 Lbs.	\$10,540	
KMS-1122MLJ using 3 Phase Remote Condenser	Remote A-C	1100	1151	115V/60/3*	4.05	152 Lbs.	\$10,540	
Accessories: H9320-52 Recommended Water Filtration - Twin Configuration							\$810	
<div></div> <p>Designed for use on beverage dispensers</p> <p>Use SRK-12J or SRK-12J3 Condenser for Remote Air-Cooled Unit (sold separately)</p> <p>*115V supply for the KMS Ice maker is supplied from the SRK remote condenser</p>								
							<div>Lancer FS22 22 x 30 1/2 x 40 1/4</div> 	



CUBER Serenity Series

KMS-1402MLJ



KMEdge Cuber

Ice Machine Dimensions: 30"W X 24"D X 28"H

Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
KMS-1402MLJ using 1 Phase Remote Condenser	Remote A-C	1400	1501	115V/60/1 *	4.3	178 Lbs.	\$10,560
KMS-1402MLJ using 3 Phase Remote Condenser	Remote A-C	1325	1474	115V/60/3 *	4.55	178 Lbs.	\$10,560

Accessories: H9320-52 Recommended Water Filtration - Twin Configuration

\$810



Designed for use on beverage dispensers.

Use SRK-15J or SRK-15J3 Condenser for Remote Air-Cooled Unit (sold separately)


*115V supply for the KMS Ice maker is supplied from the SRK remote condenser

Lancer FS30
30 x 30 1/2 x 39 5/8



See TOP KIT MATRIX (pg 35) for top kit options based on bin size.

KMS-2000MLJ



KMEdge Cuber

Ice Machine Dimensions: 30"W X 24"D X 32 7/8"H

Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
KMS-2000MLJ using 1 Phase Remote Condenser	Remote A-C	1850	1926	208-230V/60/1 *	4.50	206 Lbs.	\$13,070
KMS-2000MLJ using 3 Phase Remote Condenser	Remote A-C	1900	1938	208-230V/60/3 *	4.30	206 Lbs.	\$13,070

Accessories: H9320-53 Recommended Water Filtration - Triple Configuration

\$1,130



Designed for use on beverage dispensers.

Use SRK-20J or SRK-20J3 Condenser for Remote Air-Cooled Unit (sold separately)

*208-230V supply for the KMS Ice maker is supplied from the SRK remote condenser

Lancer FS30
30 x 30 1/2 x 39 5/8




See TOP KIT MATRIX (pg 35) for top kit options based on bin size.
















SPECIALTY ICE

Features & Benefits of the IM Square Cuber



- **HOSHIZAKI IM Square Cubers** utilize an ice making system that has an automatic rinse cycle, which means each ice cycle is made with fresh water protecting the integrity and flavor of the drink
- A closed water circuit offers the ultimate contamination protection, by reducing the number of points at which impurities can enter the ice making process
- A stainless steel exterior with integrated door handles provides a hygienic and high quality finish (Self-contained unit only)
- Removable door gaskets prevent any heat and contamination from entering the bin making the product easy to clean and maintain. (Self-contained unit only)
- Easily cleanable air filter extends the life of the ice machine
- **HOSHIZAKI IM Square Cubers** are electronically controlled for consistent quality of ice
- Natural foaming agent insulates the bin and preserves the quality and consistency of the ice produced longer than any other machine available - saving energy and money

IM-200BAC		IM Square Cuber with Built-In Bin					
						Self-Contained Bin Storage Capacity Up to 75 Lbs. [†]	
		Dimensions: 39 1/2"W X 23 5/8"D X 33 1/2"H (including 6" legs)					
Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
IM-200BAC	Air-Cooled	150	188	115V/60/1	8.4	212 lbs.	\$7,850
Accessories: H9320-51 Recommended Water Filtration - Single Configuration							\$480
   							
[†] Rated in accordance with AHRI Standard 820(I-P). Capacity based on 100% of total volume x 30 lb/ft ³ average density of ice.							

IM-500SAB		IM Square Cuber					
						Ice Machine Dimensions: 44"W X 27 5/8"D X 21 3/4"H	
Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
IM-500SAB	Air-Cooled	414	489	115V/60/1	5.8	234 Lbs.	\$9,930
Accessories: HS-5530 Stacking Kit (Order as Accessory)							\$670
H9320-51 Recommended Water Filtration - Single Configuration							\$480
   							
							
Dimensions shown in W x D x H include Bins. See TOP KIT MATRIX (pg 36) for top kit options based on bin size.							




SPECIALTY ICE


Features & Benefits of the Sphere Ice and the Large 2" Square Cube Machines

- **Spheres** are 1.8" in diameter, clear and solid
- **2by2 Cubes** are 1.9" x 1.9" x 2.3", clear and solid
- Cubes have superior chilling ability and beautiful appearance
- Small footprint can easily fit under bar counter
- Up to 50 lbs. of ice production per 24 hours
- Built-in storage bin with 36 lbs. (sphere), 22 lbs. (2by2) capacity
- Durable stainless steel exterior
- Easy to clean air filter
- Foam injected polyurethane for insulation (HFC free)
- Closed water circuit offers the ultimate contamination protection
- Ice scoop included
- 6.5' power cord with NEMA 5-15P plug



IM-50BAA-Q






Sphere Ice Machine with Built-In Bin

Dimensions: 24 ³/₄" W X 20 ³/₄" D X 39 ¹/₂" H (6" Legs Included)

Self-Contained Bin Storage Capacity Up to 50 Lbs.[†]


Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
IM-50BAA-Q	Air-Cooled	45	50	115V/60/1	15.7	150 Lbs.	\$10,900




Removable/cleanable air filter
Panels easily removed and all components accessible for service.


[†]Rated in accordance with AHRI Standard 820(I-P). Capacity based on 100% of total volume x 30 lb/ft³ average density of ice.

Sphere Ice Dimensions



IM-50BAA-LM






Large 2" Square Cube Machine with Built-In Bin

Dimensions: 19 ³/₄" W X 17 ³/₄" D X 39 ¹/₂" H (6" Legs Included)

Self-Contained Bin Storage Capacity Up to 50 Lbs.[†]


Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
IM-50BAA-LM	Air-Cooled	45	50	115V/60/1	15.7	137 Lbs.	\$10,500



Removable/cleanable air filter
Panels easily removed and all components accessible for service.

[†]Rated in accordance with AHRI Standard 820(I-P). Capacity based on 100% of total volume x 30 lb/ft³ average density of ice.


Square Cube Dimensions





FLAKER Self-Contained


Features & Benefits of the Flaker / Cubelet Series



- Attractive stainless steel exterior
- Most models are available in both flaked and cubelet (nugget-style) ice
- The internal auger design produces the highest quality ice with fewer repairs and less down time
- The freezing cylinder is made from cast stainless steel
- The industry's only greaseless bearing design improves life of the machine
- **HOSHIZAKI Flaker and Cubelet** ice machines have electric water inlet valves and an automatic purge of water from the reservoir for cleaner operation and longer bearing life
- Advanced CleanCycle24™ design - 2 second rinse every hour
- Infrared bin control is standard and factory installed

FLAKED ICE USAGE GUIDE

Establishment	Approximate Daily Usage
Restaurant	1.5 lbs. ice per seat
Salad Bar/Seafood Display	30 lbs. ice per ft ³
Hospital	
Patient Care	10 lbs. ice per bed
Cafeteria	1 lb. ice per seat
Nursing Home	6 lbs. per bed



F-300BAJ



Undercounter **FLAKER** with Built-In Bin

Dimensions: 36"W X 24 1/4"D X 39 1/4"H (6" Legs Included)

Self-Contained Bin Storage Capacity Up to 110 Lbs.†

Model Number	Condenser	Lbs. of Ice per 24 hours 90°F / 70°F	Lbs. of Ice per 24 hours 70°F / 50°F	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
F-300BAJ	Air-Cooled	247	353	115V/60/1	6.14	221 Lbs.	\$10,230

Accessories: LP-6 LEG Four 6" Stainless Steel Legs Package available (optional) \$280
H9320-51 Recommended Water Filtration - Single Configuration \$480



Four 6" Legs Package (LP-6P LEG) included

†Rated in accordance with AHRI Standard 820(I-P). Capacity based on 100% of total volume x 30 lb/ft³ average density of ice.

F-330BAJ



Undercounter **FLAKER** with Built-In Bin

Dimensions: 24"W X 26"D X 39"H (6" Legs Included)

Self-Contained Bin Storage Capacity Up to 80 Lbs.†

Model Number	Condenser	Lbs. of Ice per 24 hours 90°F / 70°F	Lbs. of Ice per 24 hours 70°F / 50°F	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
F-330BAJ	Air-Cooled	243	332	115V/60/1	5.91	178 Lbs.	\$9,750

Accessories: LP-6 LEG Four 6" Stainless Steel Legs Package available (optional) \$280
H9320-51 Recommended Water Filtration - Single Configuration \$480





Four 6" Legs Package (LP-6P LEG) included

†Rated in accordance with AHRI Standard 820(I-P). Capacity based on 100% of total volume x 30 lb/ft³ average density of ice.



FLAKER

F-500BAJ







Undercounter **FLAKER** with Built-In Bin

Dimensions: 38"W X 29"D X 42"H (6" Legs Included)


Model Number	Condenser	Lbs. of Ice per 24 hours 90°F / 70°F W	Lbs. of Ice per 24 hours 70°F / 50°F W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
F-500BAJ	Air-Cooled	420	536	115V/60/1	5.05	265 Lbs.	\$12,090


Accessories: LP-6 LEG Four 6" Stainless Steel Legs Package available (optional) \$280
H9320-51 Recommended Water Filtration - Single Configuration \$480



Four 6" Legs Package (LP-6P LEG) included

[†]Rated in accordance with AHRI Standard 820(I-P). Capacity based on 100% of total volume x 30 lb/ft³ average density of ice.

F-450MAJ













FLAKER

Ice Machine Dimensions: 22"W X 27 ^{3/8}"D X 22"H

Model Number	Condenser	Lbs. of Ice per 24 hours 90°F / 70°F W	Lbs. of Ice per 24 hours 70°F / 50°F W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
F-450MAJ*	Air-Cooled	395	492	115V/60/1	4.94	170 Lbs.	\$8,780


Accessories: H9320-51 Recommended Water Filtration - Single Configuration \$480






30 x 32 1/2 x 55 3/8 22 x 32 1/2 x 68 30 x 32 1/2 x 68 44 x 32 1/2 x 68 48 x 32 1/2 x 68 52 x 32 1/2 x 68

Dimensions shown in W x D x H include Bins. See TOP KIT MATRIX (pg 36) for top kit options based on bin size.

F-801M_J








FLAKERS







Ice Machine Dimensions: 22"W X 27 ^{3/8}"D X 26"H

Model Number	Condenser	Lbs. of Ice per 24 hours 90°F / 70°F W	Lbs. of Ice per 24 hours 70°F / 50°F W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
F-801MAJ*	Air-Cooled	566	751	115V/60/1	4.5	205 Lbs.	\$11,220
F-801MWJ	Water-Cooled	605	680	115V/60/1	3.9	205 Lbs.	\$11,350

Accessories: HS-2120 Cutter head for finer flaked ice \$240
H9320-51 Recommended Water Filtration - Single Configuration \$480



***ENERGY STAR qualified**




30 x 32 1/2 x 59 3/8 22 x 32 1/2 x 72 30 x 32 1/2 x 72 44 x 32 1/2 x 72 48 x 32 1/2 x 72 52 x 32 1/2 x 72


Dimensions shown in W x D x H include Bins. See TOP KIT MATRIX (pg 36) for top kit options based on bin size.



FLAKER

F-1002M_J








FLAKERS

Ice Machine Dimensions: 22"W X 27 ^{3/8}"D X 26"H






Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
F-1002MAJ	Air-Cooled	758	980	115V/60/1	4.36	210 Lbs.	\$13,820
F-1002MWJ	Water-Cooled	833	955	115V/60/1	3.57	205 Lbs.	\$13,950
F-1002MRJ	Remote A-C	744	864	115V/60/1	5.1	210 Lbs.	\$13,700
F-1002MRJZ†	Remote A-C	744	864	115V/60/1	5.1	210 Lbs.	\$13,700
F-1002MLJ	N/A	797	1028	115V/60/1	1.51	205 Lbs.	\$13,560

Accessories: **HS-2120** Cutter head for finer flaked ice \$240
H9320-51 Recommended Water Filtration - Single Configuration \$480

Use URC-5F Condenser for Remote Air-Cooled Unit


†Always pair "Z" model ice machines with "Z" model remote condenser.








22 x 32 1/2 x 71 15/16 30 x 32 1/2 x 71 15/16 44 x 32 1/2 x 71 15/16 48 x 32 1/2 x 71 15/16 52 x 32 1/2 x 71 15/16

Dimensions shown in W x D x H include Bins. See TOP KIT MATRIX (pg 36) for top kit options based on bin size.

F-1501M_J








FLAKERS

Ice Machine Dimensions: 30"W X 27 ^{3/8}"D X 34 ^{7/16}"H





Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
F-1501MAJ	Air-Cooled	1154	1543	208-230V/60/1	4.0	325 Lbs.	\$17,570
F-1501MWJ	Water-Cooled	1250	1431	208-230V/60/1	3.55	350 Lbs.	\$17,700
F-1501MRJ	Remote A-C	1140	1496	208-230V/60/1	4.40	325 Lbs.	\$17,450
F-1501MRJZ†	Remote A-C	1181	1536	208-230V/60/1	4.5	325 Lbs.	\$17,450

Accessories: **H9320-51** Recommended Water Filtration - Single Configuration \$480

Use URC-14F Condenser for Remote Air-Cooled Unit


†Always pair "Z" model ice machines with "Z" model remote condenser.







30 x 32 1/2 x 79 1/4 44 x 32 1/2 x 79 1/4 48 x 32 1/2 x 79 1/4 52 x 32 1/2 x 79 1/4

Dimensions shown in W x D x H include Bins. See TOP KIT MATRIX (pg 36) for top kit options based on bin size.

F-2001M_J








FLAKERS

Ice Machine Dimensions: 30"W X 27 ^{1/2}"D X 34 ^{7/16}"H





Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
F-2001MWJ	Water-Cooled	1840	2043	208-230V/60/1	3.19	342 Lbs.	\$23,970
F-2001MRJ	Remote A-C	1660	2073	208-230V/60/1	3.81	360 Lbs.	\$23,840
F-2001MRJZ†	Remote A-C	1660	2073	208-230V/60/1	3.81	360 Lbs.	\$23,840
F-2001MRJ3	Remote A-C	1675	2098	208-230V/60/3	3.90	360 Lbs.	\$23,970
F-2001MRJZ3†	Remote A-C	1675	2098	208-230V/60/3	3.90	360 Lbs.	\$23,970
F-2001MLJ	N/A	1733	2280	115V/60/1	0.6	250 Lbs.	\$22,220

Accessories: **H9320-51** Recommended Water Filtration - Single Configuration \$480

Use URC-22F Condenser for Remote Air-Cooled Unit

†Always pair "Z" model ice machines with "Z" model remote condenser.



30 x 32 1/2 x 79 1/4 44 x 32 1/2 x 79 1/4 48 x 32 1/2 x 79 1/4 52 x 32 1/2 x 79 1/4

Dimensions shown in W x D x H include Bins. See TOP KIT MATRIX (pg 36) for top kit options based on bin size.




CUBELET Self-Contained

C-80BAJ

-DS shown with Custom Cabinetry






Undercounter CUBELET with Built-In Bin

Dimensions: 14 ⁷/₈"W X 22 ⁵/₈"D X 33 ¹/₂"H
The ADA compliant machine dimensions are 14⁷/₈"W x 22⁵/₈"D x 31¹/₂"H

Self-Contained Bin Storage Capacity Up to 22 Lbs.


Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
C-80BAJ	Air-Cooled	45	80	115V/60/1	17.3	135 Lbs.	\$7,120
C-80BAJ-DS†	Air-Cooled	45	80	115V/60/1	17.3	135 Lbs.	\$7,320
C-80BAJ-AD*	Air-Cooled	45	80	115V/60/1	17.3	135 Lbs.	\$7,130
C-80BAJ-ADDS*†	Air-Cooled	45	80	115V/60/1	17.3	135 Lbs.	\$7,480


Accessories: **HS-0229** -DS Door Reversal Part (Available as a Service Part)
HS-5061 Drain Pump (Beckett Brand) 1 Year Warranty - Parts & labor \$810
HS-0182 Side Trim Kit \$310
HS-2133 2" Top Spacer Kit available \$230
H9320-51 Recommended Water Filtration - Single Configuration \$480

UL approved for outdoor use
 †-DS Models - Wood Door System (Designed to accommodate custom cabinetry)
 *ADA compliant

F-330BAJ-C








Undercounter CUBELET with Built-In Bin

Dimensions: 24"W X 26"D X 39"H (6" Legs Included)

Self-Contained Bin Storage Capacity Up to 80 Lbs.†


Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
F-330BAJ-C	Air-Cooled	214	288	115V/60/1	7.3	178 Lbs.	\$9,880


Accessories: **LP-6 LEG** Four 6" Stainless Steel Legs Package available (optional) \$280
H9320-51 Recommended Water Filtration - Single Configuration \$480

Four 6" Legs Package (LP-6P LEG) included
 †Rated in accordance with AHRI Standard 820(I-P). Capacity based on 100% of total volume x 30 lb/ft³ average density of ice.

F-450MAJ-C








CUBELET


Ice Machine Dimensions: 22"W X 27 ³/₈"D X 22"H

Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
F-450MAJ-C*	Air-Cooled	316	412	115V/60/1	6.10	170 Lbs.	\$8,980


Accessories: **H9320-51** Recommended Water Filtration - Single Configuration \$480


*Not recommended for dispensing applications




B-250
30 x 32 1/2 x 55 3/8




B-300
22 x 32 1/2 x 68




B-500
30 x 32 1/2 x 68



B-700
44 x 32 1/2 x 68



B-800
48 x 32 1/2 x 68




B-900
52 x 32 1/2 x 68


Dimensions shown in W x D x H include Bins. See TOP KIT MATRIX (pg 36) for top kit options based on bin size.



CUBELET

F-801M_J-C















CUBELET

Ice Machine Dimensions: 22"W X 27 ^{3/8}"D X 26"H

Model Number	Condenser	Lbs. of Ice per 24 hours 90°F / 70°F	Lbs. of Ice per 24 hours 70°F / 50°F	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
F-801MAJ-C*	Air-Cooled	532	690	115V/60/1	5.00	205 Lbs.	\$11,840
F-801MWJ-C	Water-Cooled	580	632	115V/60/1	4.13	205 Lbs.	\$11,730

Accessories: H9320-51 Recommended Water Filtration - Single Configuration \$480










***ENERGY STAR qualified**

30 x 32 1/2 x 59 3/8 22 x 32 1/2 x 72 30 x 32 1/2 x 72 44 x 32 1/2 x 72 48 x 32 1/2 x 72 52 x 32 1/2 x 72

Dimensions shown in W x D x H include Bins. See TOP KIT MATRIX (pg 36) for top kit options based on bin size.

F-1002M_J-C













CUBELET

Ice Machine Dimensions: 22"W X 27 ^{3/8}"D X 26"H

Model Number	Condenser	Lbs. of Ice per 24 hours 90°F / 70°F	Lbs. of Ice per 24 hours 70°F / 50°F	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
F-1002MAJ-C	Air-Cooled	726	890	115V/60/1	4.57	210 Lbs.	\$13,820
F-1002MWJ-C	Water-Cooled	878	770	115V/60/1	3.8	205 Lbs.	\$13,950
F-1002MRJ-C	Remote A-C	680	821	115V/60/1	4.94	210 Lbs.	\$14,300
F-1002MRJZ-C†	Remote A-C	680	821	115V/60/1	4.94	210 Lbs.	\$14,300

Accessories: H9320-51 Recommended Water Filtration - Single Configuration \$480


Use URC-5F Condenser for Remote Air-Cooled Unit


†Always pair "Z" model ice machines with "Z" model remote condenser.

22 x 32 1/2 x 72 30 x 32 1/2 x 72 44 x 32 1/2 x 72 48 x 32 1/2 x 72 52 x 32 1/2 x 72

Dimensions shown in W x D x H include Bins. See TOP KIT MATRIX (pg 36) for top kit options based on bin size.

F-1501M_J-C












CUBELET

Ice Machine Dimensions: 30"W X 27 ^{3/8}"D X 34 ^{7/16}"H

Model Number	Condenser	Lbs. of Ice per 24 hours 90°F / 70°F	Lbs. of Ice per 24 hours 70°F / 50°F	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
F-1501MAJ-C	Air-Cooled	1020	1327	208-230V/60/1	4.61	325 Lbs.	\$17,920
F-1501MWJ-C	Water-Cooled	1218	1376	208-230V/60/1	3.76	330 Lbs.	\$18,030
F-1501MRJ-C	Remote A-C	1125	1335	208-230V/60/1	4.35	325 Lbs.	\$17,780
F-1501MRJZ-C†	Remote A-C	1054	1353	208-230V/60/1	4.50	325 Lbs.	\$17,780

Accessories: H9320-51 Recommended Water Filtration - Single Configuration \$480

Use URC-14F Condenser for Remote Air-Cooled Unit

†Always pair "Z" model ice machines with "Z" model remote condenser.

30 x 32 1/2 x 79 1/4 44 x 32 1/2 x 79 1/4 48 x 32 1/2 x 79 1/4 52 x 32 1/2 x 79 1/4


Dimensions shown in W x D x H include Bins. See TOP KIT MATRIX (pg 36) for top kit options based on bin size.

25



CUBELET

F-2001MRJ-C






Medium
CUBELET

Ice Machine Dimensions: 30"W x 27 1/2"D x 34 7/16"H

Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
F-2001MRJ-C	Remote A-C	1500	1832	208-230V/60/1	4.35	345 Lbs.	\$24,420
F-2001MRJZ-C†	Remote A-C	1500	1832	208-230V/60/1	4.35	3605 Lbs.	\$24,420





Accessories: H9320-51 Recommended Water Filtration - Single Configuration

\$480

Use URC-22F Condenser for Remote Air-Cooled Unit


†Always pair "Z" model ice machines with "Z" model remote condenser.

30 x 32 1/2 x 79 1/4 44 x 32 1/2 x 79 1/4 48 x 32 1/2 x 79 1/4 52 x 32 1/2 x 79 1/4

Dimensions shown in W x D x H include Bins. See TOP KIT MATRIX (pg 36) for top kit options based on bin size.

FD-650M_J-C






Small
CUBELET

Ice Machine Dimensions: 22"W X 24"D X 26"H

Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
FD-650MAJ-C	Air-Cooled	495	634	115V/60/1	5.5	185 Lbs.	\$10,840
FD-650MWJ-C	Water-Cooled	520	622	115V/60/1	4.02	185 Lbs.	\$10,970
FD-650MRJ-C*	Remote A-C	470	588	115V/60/1	4.95	185 Lbs.	\$10,710
FD-650MRJZ-C*†	Remote A-C	470	588	115V/60/1	4.95	185 Lbs.	\$10,710


Accessories: H9320-51 Recommended Water Filtration - Single Configuration

\$480

Use URC-5F Condenser for Remote Air-Cooled Unit

†Always pair "Z" model ice machines with "Z" model remote condenser.




BD-300
22 x 24 x 72

Lancer SENSATION
30 x 31 x 37 1/4

Dimensions shown in W x D x H include Bins. See TOP KIT MATRIX (pg 36) for top kit options based on bin size.

FD-1002M_J-C






Small
CUBELET

Ice Machine Dimensions: 22"W X 24"D X 26"H

Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
FD-1002MAJ-C	Air-Cooled	726	890	115V/60/1	4.57	210 Lbs.	\$14,420
FD-1002MRJ-C	Remote A-C	680	821	115V/60/1	4.94	210 Lbs.	\$14,430
FD-1002MRJZ-C†	Remote A-C	680	821	115V/60/1	4.94	210 Lbs.	\$14,430


Accessories: H9320-51 Recommended Water Filtration - Single Configuration

\$480

Use URC-5F Condenser for Remote Air-Cooled Unit

†Always pair "Z" model ice machines with "Z" model remote condenser.



BD-300
22 x 24 x 72


Lancer SENSATION
30 x 31 x 37 1/4


Dimensions shown in W x D x H include Bins. See TOP KIT MATRIX (pg 36) for top kit options based on bin size.



CUBELET Serenity Series

FS-1001MLJ-C








CUBELET


Ice Machine Dimensions: 30"W X 11"D X 26"H

Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W 70°A / 50°W	Electrical	kWh per 100 Lbs. 90°A / 70°W 70°A / 50°W	Shipping Weight	List F.O.B. Griffin
FS-1001MLJ-C	Remote A-C	720 851	115V/60/1	5.07 4.29	166 Lbs.	\$12,930

Accessories: H9320-51 Recommended Water Filtration - Single Configuration \$480







Use SRC-10J Condenser for Remote Air-Cooled Unit



Lancer SENSATION
30 x 31 x 37 1/4

FS-1022MLJ-C








CUBELET


Ice Machine Dimensions: 22"W X 16 1/2"D X 26"H

Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W 70°A / 50°W	Electrical	kWh per 100 Lbs. 90°A / 70°W 70°A / 50°W	Shipping Weight	List F.O.B. Griffin
FS-1022MLJ-C	Remote A-C	730 889	115V/60/1	5.10 3.93	150 Lbs.	\$14,690

Accessories: H9320-51 Recommended Water Filtration - Single Configuration \$480







Use SRC-10J Condenser for Remote Air-Cooled Unit



Lancer SENSATION
30 x 31 x 37 1/4

FS-1501MLJ-C








CUBELET


Ice Machine Dimensions: 30"W X 16 1/2"D X 34 1/4"H

Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W 70°A / 50°W	Electrical	kWh per 100 Lbs. 90°A / 70°W 70°A / 50°W	Shipping Weight	List F.O.B. Griffin
FS-1501MLJ-C	Remote A-C	1125 1386	115V/60/1	4.75 3.67	229 Lbs.	\$15,760

Accessories: H9320-51 Recommended Water Filtration - Single Configuration \$480

Use SRC-14J Condenser for Remote Air-Cooled Unit











Lancer SENSATION
30 x 31 x 37 1/4


















DISPENSER

Features & Benefits of HOSHIZAKI DCM Dispensers

- Attractive stainless steel exterior provides long life and easy maintenance
- KMEdge dispensers feature a built-in insulated storage bin
- Three dimensional agitation prevents clumping and assists in delivering ice conveniently
- DKM Hotel Dispenser features the industry's only one-piece design and is 35% quieter than other hotel dispensers
- DB Series accommodates KMEdge Series Cubers
- DCM Series dispenses easy to chew cubelet ice and water
- DWM Water Dispenser offers four water choices in a small footprint
- HOSHIZAKI's DCM Opti-Serve™ Series offers hands-free dispensing and helps eliminate the possibility of cross-contamination
- All dispensers feature built-in ice storage capacity

DCM-271BAH	CUBELET Ice & Water Dispenser							
		*Dimensions: 16 5/8" W X 24 1/4"D X 31 3/4"H (4" Legs Included)					Ice Bin Storage Capacity Up to 10 Lbs.†	
		Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight
	DCM-271BAH	Air-Cooled	196	257	115V/60/1	6.9	154 Lbs.	\$9,460
	<div><div></div><div>Four 4" Legs included †Rated in accordance with AHRI Standard 820(I-P). Capacity based on 100% of total volume x 30 lb/ft³ average density of ice.</div></div>							
	<div><div>NOTE: DCM-271BAH is made to pair with SD-271 stand. Placing a DCM-271BAH on SD-270 stand will require a new drain hole to be cut.</div><div><div><div>Floor Model with Optional Stand 16 9/16 x 24 1/8 x 66 7/8 W x D x H</div></div><div><div>Counter-Top with 4" Legs 16 9/16 x 24 1/8 x 31 11/16 W x D x H</div></div></div></div>							









DCM-300BAH		CUBELET Ice & Water Dispenser						
		*Dimensions: 26"W X 22 1/2"D X 40"H					Ice Bin Storage Capacity Up to 40 Lbs. [†]	
		Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight
	DCM-300BAH	Air-Cooled	232	321	115V/60/1	6.84	240 Lbs.	\$12,220
	<div></div> <p>Unit supplied without legs †Rated in accordance with AHRI Standard 820(I-P). Capacity based on 100% of total volume x 30 lb/ft³ average density of ice.</p>							
	<div><div><p>Counter-Top 26 x 22 1/2 x 40 W x D x H</p></div><div><p>Counter-Top with Optional 6" Legs 26 x 22 1/2 x 46 W x D x H</p></div><div><p>Floor Model with Optional Stand 26 x 22 1/2 x 72 1/2 W x D x H</p></div></div>							

DCM-500B_H	Small		CUBELET Ice & Water Dispenser					
	*Dimensions: 26"W X 22 1/2"D X 40"H					Ice Bin Storage Capacity Up to 40 Lbs.†		
	Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
	DCM-500BAH	Air-Cooled	450	618	115V/60/1	5.62	255 Lbs.	\$15,520
	DCM-500BWH	Water-Cooled	512	590	115V/60/1	4.48	255 Lbs.	\$15,650
<div></div> <div><div><p>Counter-Top 26 x 22 1/2 x 40 W x D x H</p></div><div><p>Counter-Top with Optional 6" Legs 26 x 22 1/2 x 46 W x D x H</p></div><div><p>Floor Model with Optional Stand 26 x 22 1/2 x 72 1/2 W x D x H</p></div></div> <p>Unit supplied without legs †Rated in accordance with AHRI Standard 820(I-P). Capacity based on 100% of total volume x 30 lb/ft3 average density of ice.</p>								

*Includes Ice Machine & Dispenser Dimensions



DISPENSER

DCM-75_B_H		CUBELET Ice & Water Dispenser						
		*Dimensions: 34 1/16"W X 28 1/2"D X 48 1/16"H					Ice Bin Storage Capacity Up to 95 Lbs.†	
	Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
	DCM-752BAH	Air-Cooled	576	782	115V/60/1	5.10	345 Lbs.	\$20,310
	DCM-751BWH	Water-Cooled	678	782	115V/60/1	4.76	345 Lbs.	\$20,310
	<div></div> <p>Unit supplied without legs †Rated in accordance with AHRI Standard 820(I-P). Capacity based on 100% of total volume x 30 lb/ft³ average density of ice.</p>							
		 <p>Counter-Top 26 x 22 1/2 x 40 W x D x H</p>			 <p>Counter-Top with Optional 6" Legs 26 x 22 1/2 x 46 W x D x H</p>			 <p>Floor Model with Optional Stand 26 x 22 1/2 x 72 1/2 W x D x H</p>

*Includes Ice Machine & Dispenser Dimensions

DCM DISPENSERS ACCESSORIES

Model Number	Description	For Use With	List F.O.B. Griffin
LP-4 LEG	Four 4" Stainless Steel Legs Package available (optional)	DCM-271 BAH	\$250
LP-6 LEG	Four 6" Stainless Steel Legs Package available	DCM-300 BAH, DCM-500 BAH, DCM-75_B_H	\$280
LP-6P LEG	Four 6" Painted Legs Package available	DCM-300 BAH, DCM-500 BAH, DCM-75_B_H	\$260
SD-271	Equipment Stand	DCM-271 BAH	\$1,600
SD-500	Equipment Stand	DCM-300 BAH, DCM-500 BAH	\$1,730
SD-750	Equipment Stand	DCM-75_B_H	\$2,180
HS-2066	Seismic Wall Mount Kit	DCM-300 BAH, DCM-500 BAH	\$240
HS-2067	Seismic Wall Mount Kit	DCM-75_B_H	\$300
HS-2070	Seismic Wall Mount Kit	DCM-271 BAH	\$230
HS-2071	Leg Seismic Kit	DCM-300 BAH, DCM-500 BAH	\$610
HS-2072	Leg Seismic Kit	DCM-75_B_H	\$550
HS-2104	Wall Mount Kit	DCM-271 BAH	\$1,030
HS-5554	Small Square Anti-Microbial Cover (30 mm x 30 mm)	DCM-271 BAH	\$40
HS-5559	Round Anti-Microbial Cover (25 mm diameter)	DCM-300 BAH, DCM-500 BAH, DCM-75_B_H	\$70
H9320-51	Recommended Water Filtration - Single Configuration	DCM-271 BAH, DCM-300 BAH, DCM-500 BAH, DCM-75_B_H	\$480
H9320-54	4H-SI Water Filter Hoshizaki Healthcare Filtration System - Single Configuration	DCM-271 BAH, DCM-300 BAH, DCM-500 BAH, DCM-75_B_H	\$520
H9655-08	4H-SI Water Filter Hoshizaki Healthcare Filtration System - Cartridge (1 pk)	DCM-271 BAH, DCM-300 BAH, DCM-500 BAH, DCM-75_B_H	\$360



DISPENSER

DCM-271BAH-OS



CUBELET Ice & Water Dispenser

Hands-free sensor designed for use with opaque containers. Not intended for outdoor use - avoid placement in direct sunlight.

*Dimensions: 16 5/8" W X 24 1/4" D X 31 3/4" H (4" Legs Included)

Ice Bin Storage Capacity
Up to 10 Lbs.[†]

Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
DCM-271BAH-OS	Air-Cooled	196	257	115V/60/1	6.9	154 Lbs.	\$9,570



Four 4" Legs included
[†]Rated in accordance with AHRI Standard 820(I-P).
 Capacity based on 100% of total volume x 30 lb/ft³ average density of ice.



Floor Model
with Optional Stand
16 5/8 x 24 1/4 x 66 7/8
W x D x H



Counter-Top
with 4" Legs
16 5/8 x 24 1/4 x 31 3/4
W x D x H

DCM-300BAH-OS



CUBELET Ice & Water Dispenser

Hands-free sensor designed for use with opaque containers. Not intended for outdoor use - avoid placement in direct sunlight.

*Dimensions: 26"W X 22 1/2"D X 40"H

Ice Bin Storage Capacity
Up to 40 Lbs.[†]

Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
DCM-300BAH-OS	Air-Cooled	232	321	115V/60/1	6.84	240 Lbs.	\$12,330



Unit supplied without legs
[†]Rated in accordance with AHRI Standard 820(I-P).
 Capacity based on 100% of total volume x 30 lb/ft³ average density of ice.

On a counter without legs
or on a stand



Counter-Top
26 x 22 1/2 x 40
W x D x H



Counter-Top
with Optional 6" Legs
26 x 22 1/2 x 46
W x D x H



Floor Model
with Optional Stand
26 x 22 1/2 x 72 1/2
W x D x H

DCM-500B_H-OS



CUBELET Ice & Water Dispenser

Hands-free sensor designed for use with opaque containers. Not intended for outdoor use - avoid placement in direct sunlight.

*Dimensions: 26"W X 22 1/2"D X 40"H

Ice Bin Storage Capacity
Up to 40 Lbs.[†]

Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
DCM-500BAH-OS	Air-Cooled	450	618	115V/60/1	5.62	276 Lbs.	\$15,650
DCM-500BWH-OS	Water-Cooled	512	590	115V/60/1	4.48	255 Lbs.	\$15,760



Unit supplied without legs
[†]Rated in accordance with AHRI Standard 820(I-P).
 Capacity based on 100% of total volume x 30 lb/ft³ average density of ice.

On a counter without legs
or on a stand



Counter-Top
26 x 22 1/2 x 40
W x D x H



Counter-Top
with Optional 6" Legs
26 x 22 1/2 x 46
W x D x H



Floor Model
with Optional Stand
26 x 22 1/2 x 72 1/2
W x D x H

DCM-75_B_H-OS



CUBELET Ice & Water Dispenser

Hands-free sensor designed for use with opaque containers. Not intended for outdoor use - avoid placement in direct sunlight.

*Dimensions: 34 1/16"W X 28 1/2"D X 48 1/16"H

Ice Bin Storage Capacity
Up to 95 Lbs.[†]

Model Number	Condenser	Lbs. of Ice per 24 hours 90°A / 70°W	Lbs. of Ice per 24 hours 70°A / 50°W	Electrical	kWh per 100 Lbs.	Shipping Weight	List F.O.B. Griffin
DCM-752BAH-OS	Air-Cooled	576	782	115V/60/1	5.10	345 Lbs.	\$20,430
DCM-751BWH-OS	Water-Cooled	678	782	115V/60/1	4.76	345 Lbs.	\$20,430



Unit supplied without legs
[†]Rated in accordance with AHRI Standard 820(I-P).
 Capacity based on 100% of total volume x 30 lb/ft³ average density of ice.

On a counter without legs
or on a stand



Counter-Top
26 x 22 1/2 x 40
W x D x H










Counter-Top
with Optional 6" Legs
26 x 22 1/2 x 46
W x D x H


















Floor Model
with Optional Stand
26 x 22 1/2 x 72 1/2
W x D x H



DISPENSER

DB-130H		KMEdge DKM Dispenser						
		Ice Machine/Dispenser Dimensions: 22\"W X 30\"D X 53\"H (6\" Legs Included)						
		Model Number	Application Ice Storage Capacity	Dispensing Rate	Electrical	Icemaker kWh per 100 lbs.	Shipping Weight	List F.O.B. Griffin
		DB-130H	130 Lbs.	20 lbs. / min.	115V/60/1	N/A	195 Lbs.	\$6,790
		<div></div> <div>Four Painted 6\" Flange Legs included Note: 90 Day Warranty on accessory parts Ice dispensing area is ADA compliant Only dispenses crescent ice</div> <div></div>						

DB-200H		KMEdge DKM Dispenser						
		Ice Machine/Dispenser Dimensions: 30\"W X 30\"D X 53\"H (6\" Legs Included)						
		Model Number	Application Ice Storage Capacity	Dispensing Rate	Electrical	Icemaker kWh per 100 lbs.	Shipping Weight	List F.O.B. Griffin
		DB-200H	200 Lbs.	13 lbs. / min.	115V/60/1	N/A	220 Lbs.	\$7,790
		<div></div> <div>Four Painted 6\" Flange Legs included Note: 90 Day Warranty on accessory parts Ice dispensing area is ADA compliant Only dispenses crescent ice</div> <div></div>						

DKM-500B_J		KMEdge DKM Dispenser							
		Ice Machine/Dispenser Dimensions: 30\"W X 28\"D X 77\"H (6\" Legs Included)							
		Model Number	Lbs. of Ice per 24 hours 70\"A / 50\"W	Application Ice Storage Capacity	Dispensing Rate	Electrical	Icemaker kWh per 100 lbs.	Shipping Weight	List F.O.B. Griffin
		DKM-500BAJ*	545 Lbs.	200 Lbs.	13 lbs. / min.	115V/60/1	5.56	300 Lbs.	\$15,540
		DKM-500BWJ	540 Lbs.	200 Lbs.	13 lbs. / min.	115V/60/1	4.79	310 Lbs.	\$15,680
<div></div> <div>Rated in accordance with AHRI Standard 80</div> <div>Four Painted 6\" Flange Legs included DKM-500B - Ice dispensing area is ADA compliant</div> <div>*ENERGY STAR qualified</div>									


DCM-OS, DB & DKM - DISPENSERS ACCESSORIES


Model Number	Description	For Use With	List F.O.B. Griffin
LP-4 LEG	Four 4\" Stainless Steel Legs Package available (optional)	DCM-271BAH-OS	\$250
LP-6 LEG	Four 6\" Stainless Steel Legs Package available	DCM-300BAH-OS, DCM-500BAH-OS, DCM-75_B_H-OS, DB-200H	\$280
LP-6P LEG	Four 6\" Painted Legs Package available	DCM-300BAH-OS, DCM-500BAH-OS, DCM-75_B_H-OS	\$260
LP-6 FLANGE LEG	Four 6\" Stainless Steel Legs Package available	DB-130H	\$330
SD-271	Equipment Stand	DCM-271BAH-OS	\$1,600
SD-500	Equipment Stand	DCM-300BAH-OS, DCM-500BAH-OS	\$1,730
SD-750	Equipment Stand	DCM-75_B_H-OS	\$2,180
HS-2036	Top Kit for KM-350M, KM-520M or KM-660M	DB-200H	\$250
HS-2066	Seismic Wall Mount Kit	DCM-300BAH-OS, DCM-500BAH-OS	\$240
HS-2067	Seismic Wall Mount Kit	DCM-75_B_H-OS	\$300
HS-2070	Seismic Wall Mount Kit	DCM-271 BAH-OS	\$230
HS-2071	Leg Seismic Kit	DCM-300BAH-OS, DCM-500BAH-OS	\$610
HS-2072	Leg Seismic Kit	DCM-75_B_H-OS	\$550
HS-2104	Wall Mount Kit	DCM-271BAH-OS	\$1,030
HS-2109	Chute & grill replacement kit	DB-130H, DB-200H	\$410
HS-3586	6\" Casters - Set of 4	6\" Casters - Set of 4	\$570
H9320-51	Recommended Water Filtration - Single Configuration	DCM-300BAH-OS, DCM-500BAH-OS, DCM-75_B_H-OS, DKM-500BAJ	\$480



DISPENSER

DM-200B









KMEdge Ice & Water Dispenser

Dispenser Dimensions: 30"W X 28"D X 36 ³/₈"H


Model Number	Application Ice Storage Capacity	Dispensing Rate	Electrical	Icemaker Production per 24 hrs.	Icemaker kWh per 100 lbs.	Shipping Weight	List F.O.B. Griffin
DM-200B	200 lbs.	7.5 lbs. / min.	115-120V/60/1	N/A	N/A	210 Lbs.	\$8,020

Accessories: **HS-2036** Top Kit for KM-350M, KM-520M or KM-660M \$250
DM Legs Four 4" Black Die Cast Legs Kit \$220
SD-200 Equipment Stand \$2,160




Counter-Top
30 x 28 x 36 ³/₈
W x D x H




Counter-Top
with optional 4" legs
30 x 28 x 40 ³/₈
W x D x H

Unit supplied without legs
Only dispenses crescent ice

DM-4420N








CUBELET Ice & Water Dispenser

Dimensions: 22"W X 30 ¹/₂"D X 40"H

Model Number	Application Ice Storage Capacity	Dispensing Rate	Electrical	Icemaker Production per 24 hrs.	Icemaker kWh per 100 lbs.	Shipping Weight	List F.O.B. Griffin
DM-4420N	200 lbs.	N/A	115-120V/60/1	N/A	N/A	235 Lbs.	\$8,180


Accessories: **HS-5329** Top Kit for FS-1022MLJ-C \$180
HS-5330 Top Kit for FD-650M_J-C & FD-1002M_J-C \$500






CANADIAN ENERGY
PERFORMANCE VERIFIED
RENDEMENT ENERGETIQUE VERIFIED

CANADIAN ENERGY
PERFORMANCE VERIFIED
RENDEMENT ENERGETIQUE VERIFIED

DWM-20A





MODwater Water Dispenser

Dimensions: 14 ⁷/₈"W x 21 ³/₈"D x 16 ⁵/₈"H

Model Number	Max Draw of Chilled Water (Chilled or Sparkling)	Max Flow Rate (Chilled)	Heat Rejection	Refrigerant Type/Charge	Max. Fuse Size or HACR Circuit Breaker	Max Amps	Voltage	Shipping Weight	List F.O.B. Griffin
DWM-20A	20 gal/hour	0.9 gal/min	450W	R-134a/ 4.23 oz	15A	9A	120V/60/1	90 Lbs.	\$5,900

Accessories: **HS-5441** Replacement All-in-One Filter Cartridge, HS-5441 (pack of 2) \$370
HS-5442 Replacement Alkaline Chamber \$390
HS-5504 6-Month Replacement Kit: Filters (2 ea.) alkaline chamber, air filter, nozzle tip w/aerator \$770
HS-5542 DWM Top Kit for SD-271 \$210
HS-5560 Large Square Anti-Microbial Cover (50 mm x 50 mm) \$60
 Installation kit included
 CO₂ tank must be sourced from other vendor

TYPES OF WATER DISPENSED

Chilled	Temp.	34°-36°F
Sparkling	Carbonation	3.7 Vol.
Alkaline	pH (avg.)	8.0-9.0
Hot	Factory set	185°F

32





ICE STORAGE BINS


HOSHIZAKI Ice Storage Bins are available with stainless steel exterior for easy cleaning and long-lasting attractive appearance. Sturdy construction for side-by-side or stacked installations and non-corrosive bin liner provide safe, sanitary storage of cubed or flaked ice. Foamed-in-place polyurethane insulation in all bin walls and bottom provides dependable ice storage. H-GUARD Plus® Antimicrobial Agent adds extra protection to the ice scoop (included).



Intertek






B-250SF		Model Number	Exterior Finish	Application Ice Storage Capacity	Dimensions W x D x H (Height includes 6" legs)	Shipping Weight	List F.O.B. Griffin
	B-250SF	Vinyl Clad	250 Lbs.	30" x 32 ^{1/2} " x 33 ^{3/8} "	110 Lbs.	\$2,220	
	Accessories						
	LP-6 LEG Four 6" Stainless Steel Legs Package available						\$280
	HS-2033 Order 8" Top Kit to accommodate 22"W ice machines						\$280
	HS-5429 Bin Door Catch						\$55.31
Four 6" Painted Legs included Refer to Top Kit Matrix for necessary configurations							

B-300SF BD-300SF* *		Model Number	Exterior Finish	Application Ice Storage Capacity	Dimensions W x D x H (Height includes 6" legs)	Shipping Weight	List F.O.B. Griffin
	B-300SF	Stainless Steel	300 Lbs.	22" x 32 ^{1/2} " x 46"	125 Lbs.	\$2,300	
	Accessories						
	LP-6 FLANGE LEG Four 6" Stainless Steel Flange Legs Package available						\$330
	HS-5429 Bin Door Catch						\$55.31
	Four 6" Painted Flanged Legs included Refer to Top Kit Matrix for necessary configurations						
	Model Number	Exterior Finish	Application Ice Storage Capacity	Dimensions W x D x H (Height includes 6" legs)	Shipping Weight	List F.O.B. Griffin	
BD-300SF	Stainless Steel	300 Lbs.	22" x 32 ^{1/2} " x 46"	135 Lbs.	\$2,340		
Accessories							
LP-6 FLANGE LEG Four 6" Stainless Steel Flange Legs Package available						\$330	
HS-5429 Bin Door Catch						\$55.31	
For use with KMD-410M, KMS-822M, FD-650M-C, FD-1001M-C **BD Bins fit 24" to 24 1/2" deep Ice Machines without Top Kit extension							

B-500SF BD-500SF* *		Model Number	Exterior Finish	Application Ice Storage Capacity	Dimensions W x D x H (Height includes 6" legs)	Shipping Weight	List F.O.B. Griffin
	B-500SF	Stainless Steel	500 Lbs.	30" x 32 ^{1/2} " x 46"	140 Lbs.	\$2,560	
	Accessories						
	LP-6 LEG Four 6" Stainless Steel Legs Package available						\$280
	HS-2033 Order 8" Top Kit to accommodate 22"W ice machines						\$280
	HS-2129 Top Kit: KMD application						\$330
	HS-5429 Bin Door Catch						\$55.31
	Four 6" Painted Legs included Refer to Top Kit Matrix for necessary configurations						
	Model Number	Exterior Finish	Application Ice Storage Capacity	Dimensions W x D x H (Height includes 6" legs)	Shipping Weight	List F.O.B. Griffin	
BD-500SF	Stainless Steel	500 Lbs.	30" x 32 ^{1/2} " x 46"	155 Lbs.	\$2,630		
Accessories							
LP-6 LEG Four 6" Stainless Steel Legs Package available						\$280	
For use with KMD-460M, KMD-530M, KMD-860M **BD Bins fit 24" to 24 1/2" deep Ice Machines without Top Kit extension Four 6" Painted Legs included							



ICE STORAGE BINS

B-700SF		Model Number	Exterior Finish	Application Ice Storage Capacity	Dimensions W x D x H (Height includes 6" legs)	Shipping Weight	List F.O.B. Griffin
		B-700SF	Stainless Steel	700 Lbs.	44" x 32 ^{1/2} " x 46"	175 Lbs.	\$3,280
		Accessories LP-6 LEG Four 6" Stainless Steel Legs Package available \$280 HS-2035 Order 22" Top Kit to accommodate 22"W ice machines \$300 HS-2034 Order 14" Top Kit to accommodate 30"W ice machines \$280 HS-2130 Top Kit: KMD application \$390 HS-5429 Bin Door Catch \$55.31 HS-5607 Optional Bin Scoop Holder \$130 Four 6" Painted Legs included Refer to Top Kit Matrix for necessary configurations					
B-800SF		Model Number	Exterior Finish	Application Ice Storage Capacity	Dimensions W x D x H (Height includes 6" legs)	Shipping Weight	List F.O.B. Griffin
		B-800SF	Stainless Steel	800 Lbs.	48" x 32 ^{1/2} " x 46"	185 Lbs.	\$3,540
		Accessories LP-6 LEG Four 6" Stainless Steel Legs Package available \$280 HS-2035 22" Top Kit & HS-2032 - 4" Top Kit to accommodate 22"W ice machines \$550 HS-2032 4" Top Kit to accommodate (2) 22"W ice machines \$250 HS-2034 Order 14" Top Kit & HS-2032 - 4" Top Kit to accommodate 30"W machines \$530 HS-2131 Top Kit: KMD application \$460 HS-5429 Bin Door Catch \$55.31 HS-5607 Optional Bin Scoop Holder \$130 Four 6" Painted Legs included Refer to Top Kit Matrix for necessary configurations					
B-900SF		Model Number	Exterior Finish	Application Ice Storage Capacity	Dimensions W x D x H (Height includes 6" legs)	Shipping Weight	List F.O.B. Griffin
		B-900SF	Stainless Steel	900 Lbs.	52" x 32 ^{1/2} " x 46"	195 Lbs.	\$3,780
		Accessories LP-6 LEG Four 6" Stainless Steel Legs Package available \$280 HS-2035 Order 22" Top Kit to accommodate 30"W ice machines \$300 HS-2035 22" Top Kit & HS-2033 - 8" Top Kit to accommodate 22"W ice machines \$580 HS-2033 8" Top Kit to accommodate (2) 22"W machines \$280 HS-2032 4" Top Kit to accommodate 48"W ice machines \$250 HS-2132 Top Kit: KMD application \$560 HS-5429 Bin Door Catch \$55.31 HS-5607 Optional Bin Scoop Holder \$130 Four 6" Painted Legs included Refer to Top Kit Matrix for necessary configurations					
B-1150SS / B-1300SS		Model Number	Exterior Finish	Application Ice Storage Capacity	Dimensions W x D x H (Height includes 6" legs)	Shipping Weight	List F.O.B. Griffin
		B-1150SS	Stainless Steel	1148 Lbs.	48" x 41" x 60"	315 Lbs.	\$7,510
		B-1300SS	Stainless Steel	1304 Lbs.	48" x 41" x 66"	330 Lbs.	\$7,770
		Four 6" Stainless Steel Legs included, baffle design increases ice accessibility by 30% Universal top included - Check Top Kit Application Guide for detail					
B-1500SS / B-1650SS		Model Number	Exterior Finish	Application Ice Storage Capacity	Dimensions W x D x H (Height includes 6" legs)	Shipping Weight	List F.O.B. Griffin
		B-1500SS	Stainless Steel	1500 Lbs.	60" x 41" x 62"	360 Lbs.	\$8,640
		B-1650SS	Stainless Steel	1605 Lbs.	60" x 41" x 66"	375 Lbs.	\$8,930
		Four 6" Stainless Steel Legs included, baffle design increases ice accessibility by 30% Universal top included - Check Top Kit Application Guide for detail					



DISPENSER STANDS

SD STANDS DM and DCM Series Dispensers	Model Number	Use with Ice Machine / Dispenser Model	Dimensions W x D x H (Height includes 6" legs)	Shipping Weight	List F.O.B. Griffin
	SD-200	DM-200B	30" x 28" x 32 ^{13/16"}	105 lbs.	\$2,160
	SD-271	DCM-271 (-OS)	16 ^{1/2"} x 24" x 35 ^{3/16"}	85 lbs.	\$1,600
	SD-500	DCM-300 (-OS) / DCM-500 (-OS)	25 ^{7/8"} x 22" x 32 ^{3/4"}	90 lbs.	\$1,730
	SD-750	DCM-751 (-OS) / DCM-752 (-OS)	34" x 28" x 32 ^{3/4"}	110 lbs.	\$2,180
Accessories LP-6 FLANGE LEG Four 6" Stainless Steel Flange Legs Package available (optional) \$330 Leg Kits: HS-2066 Seismic Kit for SD 500 Stands \$240 HS-2071 Leg Seismic Kit SD 500 Stands \$610 Four 6" Painted Legs included NOTE: DCM-271BAH is made to pair with SD-271 stand. Placing a DCM-271BAH on SD-270 stand will require a new drain hole to be cut.					

SD-200	SD-271	SD-500	SD-750

- Heavy duty stands for floor model ice machines/dispensers
- Easy cleaning and maintenance

- Attractive stainless steel exterior
- Locking doors standard



Intertek



TOP KIT MATRIX

	22" Width KM-350M KM-520M KM-660M F-450M F-801M F-1002M	22" Width KMD-410M† KMS-822M FD-650M-C† FD-1002M-C	30" Width KM-901M KM-1340M KM-1601M KML Series F-1501M F-2001	30" Width KMD-460M‡ KMD-530M‡ KMD-860M‡ KMS-1402M* KMS-2000M*	44" Width 2 KM-350M 2 KM-520M 2 KM-660M IM-500S 2 F-450M 2 F-801M 2 F-1002M	44" Width 2 KMD-410M 2 FD-650M-C 2 FD-1002M-C	48" Width KM-1301S KM-1400S KM-1601S KM-1900S KM-2200S KM-2600S	60" Width 2 KM-901M 2 KM-1100M 2 KM-1340M 2 KM-1601M 2 KML Series 2 F-1501/2001M 2 KMD Series**
22" Width B-300SF DB-130H	— (DB-130H - KMD only)	HS-5424 HS-2153 (KMD-410 on B-300 only)	N/A	N/A	N/A	N/A	N/A	N/A
BD-300SF†	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A
30" Width B-250SF B-500SF	HS-2033	HS-2033 & HS-2129	—	HS-2129	N/A	N/A	N/A	N/A
BD-500SF†	N/A	N/A	N/A	— (Only fits KMD Units)	N/A	N/A	N/A	N/A
44" Width B-700SF	HS-2035	HS-2035 & HS-2130	HS-2034	HS-2130 & HS-2034	—	HS-2130 (KMD-410M does not apply.)	N/A	N/A
48" Width B-800SF	HS-2035 & HS-2032	HS-2035, HS-2032 & HS-2131	HS-2034 & HS-2032	HS-2131, HS-2034 & HS-2032	HS-2032	HS-2032 & HS-2131	—	N/A
48" Width B-1150SS B-1300SS	UNIVERSAL TOP KIT INCLUDED	N/A	UNIVERSAL TOP KIT INCLUDED	UNIVERSAL TOP KIT INCLUDED & HS-2147	IM & F UNITS ONLY (HS-5397 for IM-500)	N/A	UNIVERSAL TOP KIT INCLUDED	N/A
52" Width B-900SF	HS-2035 & HS-2033	HS-2035 & HS-2033/2132	HS-2035	HS-2132 & HS-2035	HS-2033	HS-2033 & HS-2132	HS-2032	N/A
60" Width B-1500SS B-1650SS	N/A	N/A	UNIVERSAL TOP KIT INCLUDED & HS-2111	N/A	UNIVERSAL TOP KIT INCLUDED (HS-5397 for IM-500)	N/A	UNIVERSAL TOP KIT INCLUDED	UNIVERSAL TOP KIT INCLUDED
30" Width DB-200H DM-200B	HS-2036 (Only fits KM Units)	N/A	— (Only fits KML Units)	N/A	N/A	N/A	N/A	N/A

*Except KMD-410M (See 22" Wide), †BD Bins Fit 24" to 24 1/2" Deep Icemakers w/o Top Kit, ‡HS-5065 Req'd for Air Cooled KMD-460/530MAJ

KMS[§], KMD, or FD on Bin Need Top Kit Extension:

Model Number	For Use With	List F.O.B. Griffin
HS-2129	B-500 Bins	\$330
HS-2130	B-700 Bins	\$390
HS-2131	B-800 Bins	\$460
HS-2132	B-800 & B-900 Bins	\$560
HS-2147	B-1150 & 1300 Bins	\$300
HS-2153	B-300 Bins	\$220
HS-5424	KMD on DB-130	\$100

§Except KMS-1122MLJ

36" Width - KMH-2100S - Fit Kloppenberg Bins Only (Sold Separately)

Model Number	Description	List F.O.B. Griffin
HS-2032	4" ABS Top Kit	\$250
HS-2033	8" ABS Top Kit	\$280
HS-2034	14" ABS Top Kit	\$280
HS-2035	22" ABS Top Kit	\$300
HS-2036	(2) 4" ABS Top Kits for KM on DB-200H	\$250
HS-2111	11.3" x 26.2" Stainless Cover/Separator	FREE
HS-2148	30" x 3.1" Stainless Cover	\$240
HS-5065	Front Panel Filter Kit for KMD-460/530M	\$700
HS-5397	Bin Control Kit for IM-500 on B-1150/1300/1500/1650	\$250



REMOTE CONDENSER

AIR-COOLED REMOTE CONDENSERS - URC / SRC / SRK

An Ice Machine with a **Remote Air Condenser** provides quiet operation at the icemaker location, improves efficiency, and saves energy with cooler operation. Sturdy construction and weather-resistant cabinet finish provides long life operation. Remote condensers may be installed outdoors up to 55 feet from the icemaker. For installations exceeding 55 feet, contact a Factory Technical Service Representative at 800-233-1940.

URC-5F, URC-9F, URC-14F	SRK-10J, SRK-12J, SRK-12J3 SRK-15J, SRK-15J3, SRK-20J, SRK-20J3	SRC-10J SRC-14J	URC-22F URC-26J

Model Number	For Use With	Electrical	Dimensions W x D x H (Height includes legs)	Shipping Weight	List F.O.B. Griffin
URC-5F	KM-520MRJ, KMD-530MRJ, KM-660MRJ, FD-650MRJ-C, FD-1002MRJ-C, F-1002MRJ(-C)	115/60/1	21 ^{15/16"} x 14 ^{1/8"} x 32 ^{13/16"}	60 Lbs.	\$1,930
Accessories					
Tubing Kit: R404-2046-2 - 20' Pre-charged R-404A					\$510
R404-3546-2 - 35' Pre-charged R-404A					\$660
HS-2150 - Quick-Connect Kit (not required if line set is ordered)					\$260

Model Number	For Use With	Electrical	Dimensions W x D x H (Height includes legs)	Shipping Weight	List F.O.B. Griffin
URC-9F	KML-700MRJ, KMD-860MRJ	115/60/1	35 ^{11/16"} x 14 ^{1/16"} x 36 ^{1/2"}	95 Lbs.	\$2,200
Accessories					
Tubing Kit: - 20' Pre-charged R-404A					\$490
R404-3568-2 - 35' Pre-charged R-404A					\$660
R404-5568-2 - 55' Pre-charged R-404A					\$840
HS-2150 - Quick-Connect Kit (not required if line set is ordered)					\$260

Model Number	For Use With	Electrical	Dimensions W x D x H (Height includes legs)	Shipping Weight	List F.O.B. Griffin
SRC-10J	FS-1001MLJ-C, FS-1022MLJ-C	230/60/1	38" x 29" x 37"	270 Lbs.	\$4,800
Accessories					
Tubing Kit: HS-5299 - 25' Brazing Required R-404A					\$510
HS-5300 - 35' Brazing Required R-404A					\$650
HS-5301 - 55' Brazing Required R-404A					\$810

Model Number	For Use With	Electrical	Dimensions W x D x H (Height includes legs)	Shipping Weight	List F.O.B. Griffin
SRK-10J	KMS-822MLJ	230/60/1 **	38" x 29" x 37"	226 Lbs.	\$5,560
Accessories					
Tubing Kit: HS-0250 - 25' Brazing Required R-404A					\$510
HS-0251 - 35' Brazing Required R-404A					\$650
HS-0252 - 55' Brazing Required R-404A					\$810
**3 wire with neutral for 115V					



REMOTE CONDENSER

Model Number	For Use With	Electrical	Dimensions W x D x H (Height includes legs)	Shipping Weight	List F.O.B. Griffin
SRK-12J SRK-12J3	KMS-1122MLJ KMS-1122MLJ	230/60/1 ** 230/60/3	50" x 19 ^{1/2} " x 43" 50" x 19 ^{1/2} " x 43"	273 Lbs. 273 Lbs.	\$6,170 \$6,410
Accessories Tubing Kit: HS-0250 - 25' Brazing Required R-404A HS-0251 - 35' Brazing Required R-404A HS-0252 - 55' Brazing Required R-404A **3 wire with neutral for 115V					\$510 \$650 \$810

Model Number	For Use With	Electrical	Dimensions W x D x H (Height includes legs)	Shipping Weight	List F.O.B. Griffin
SRC-14J	FS-1501MLJ-C	230/60/1	37 ^{3/4} " x 26 ^{5/8} " x 37"	235 Lbs.	\$5,940
Accessories Tubing Kit: HS-5323 - 25' Brazing Required R-404A HS-5324 - 35' Brazing Required R-404A HS-5325 - 55' Brazing Required R-404A					\$510 \$650 \$810

Model Number	For Use With	Electrical	Dimensions W x D x H (Height includes legs)	Shipping Weight	List F.O.B. Griffin
SRK-15J SRK-15J3	KMS-1402MLJ KMS-1402MLJ	230/60/1 ** 230/60/3	50" x 19 ^{1/2} " x 43" 50" x 19 ^{1/2} " x 43"	275 Lbs. 275 Lbs.	\$6,850 \$6,970
Accessories Tubing Kit: HS-0250 - 25' Brazing Required R-404A HS-0251 - 35' Brazing Required R-404A HS-0252 - 55' Brazing Required R-404A **3 wire with neutral for 115V					\$510 \$650 \$810

Model Number	For Use With	Electrical	Dimensions W x D x H (Height includes legs)	Shipping Weight	List F.O.B. Griffin
URC-14F URC-14FZ†	KM-901MRJ(3)(Z†), KM-1100MRJ (Z†), KM-1301SRJ(3)(Z†), KM-1340MRJ(3)(Z†), F-1501MRJ(-C)(Z†)	115/60/1	35 ^{11/16} " x 14 ^{1/16} " x 36 ^{1/2} "	110 Lbs.	\$2,290
Accessories Tubing Kit: R404-2068-2 - 20' Pre-charged R-404A R404-3568-2 - 35' Pre-charged R-404A R404-5568-2 - 55' Pre-charged R-404A HS-2150 - Quick-Connect Kit (not required if line set is ordered) HS-5102 - Hail Guard Kit †Always pair "Z" model ice machines with "Z" model remote condenser.					\$510 \$660 \$840 \$260 \$320

Model Number	For Use With	Electrical	Dimensions W x D x H (Height includes legs)	Shipping Weight	List F.O.B. Griffin
SRK-20J SRK-20J3	KMS-2000MLJ KMS-2000MLJ	230/60/1 ** 230/60/3	59 ^{9/16} " x 19 ^{1/2} " x 45" 59 ^{9/16} " x 19 ^{1/2} " x 45"	325 Lbs. 325 Lbs.	\$12,340 \$12,470
Accessories Tubing Kit: HS-0243 - 25' Brazing Required R-404A HS-0244 - 35' Brazing Required R-404A HS-0245 - 55' Brazing Required R-404A **3 wire with neutral for 115V					\$510 \$650 \$860

Model Number	For Use With	Electrical	Dimensions W x D x H (Height includes legs)	Shipping Weight	List F.O.B. Griffin
URC-22F URC-22FZ†	KM-1601MRJ(3)(Z†), KM-1601SRJ(3)(Z†), KM-1900SRJ(3)(Z†), KM-2200SRJ(3)(Z†), KMH-2100SRJ(3)(Z†), F-2001MRJ3(-C)(Z†)	115/60/1	46 ^{3/8} " x 14 ^{1/16} " x 40 ^{1/2} "	165 Lbs.	\$3,320
URC-26J	KM-2600SRJ(3)	115/60/1	46 ^{3/8} " x 14 ^{1/16} " x 40 ^{1/2} "	273 Lbs.	\$4,310
Accessories Tubing Kit: R404-20610 - 20' Pre-charged R-404A R404-35610 - 35' Pre-charged R-404A R404-55610 - 55' Pre-charged R-404A HS-2150 - Quick-Connect Kit (not required if line set is ordered) HS-5095 - Hail Guard Kit †Always pair "Z" model ice machines with "Z" model remote condenser.					\$510 \$660 \$890 \$260 \$230



REMOTE CONDENSER

REMOTE CONDENSER MATRIX

Line Sets - PRE-CHARGED					
Remote Condenser	Ice Machines	Shipping Weight	20' Length	35' Length	55' Length
URC-5F	KM-520MRJ, KMD-530MRJ, KM-660MRJ, FD-650MRJ-C, FD-1002MRJ-C, F-1002MRJ(-C)	60 Lbs.	R404-2046-2	R404-3546-2	N/A
URC-9F	KML-700MRJ, KMD-860MRJ	95 Lbs.	R404-2068-2	R404-3568-2	R404-5568-2
URC-14F	KM-901MRJ(3), KM-1100MRJ, KM-1301SRJ(3), KM-1340MRJ(3), F-1501MRJ(-C)	110 Lbs.	R404-2068-2	R404-3568-2	R404-5568-2
URC-22F	KM-1601MRJ(3), KM-1601SRJ(3), KM-1900SRJ(3), KM-2200SRJ(3), KMH-2100SRJ(3), F-2001MRJ(3)(-C)	165 Lbs.	R404-20610	R404-35610	R404-55610
URC-26J	KM-2600SRJ3	273 Lbs.	R404-20610	R404-35610	R404-55610

Line Sets - BRAZING REQUIRED					
Remote Condenser	Ice Machines	Shipping Weight	25' Length	35' Length	55' Length
URC-5FZ†	KM-520MRJZ†, KM-660MRJZ†, KMD-530MRJZ†, FD-650MRJZ†-C, F-1002MRJZ†(-C), FD-1002MRJZ†(-C)	90 Lbs.	HS-5587	HS-5588	N/A
URC-9FZ†	KML-700MRJZ†, KMD-860MRJZ†	90 Lbs.	HS-5604	HS-5605	HS-5606
URC-14FZ†	KM-901MRJZ†(3), KM-1100MRJZ†, KM-1301SRJZ†(3), KM-1340MRJZ(3) F-1501MRJZ(-C)	100 Lbs.	HS-5604	HS-5605	HS-5606
URC-22FZ†	KM-1601MRJZ†(3), KM-1601SRJZ†(3), KM-1900SRJZ†(3), KM-2200SRJZ†(3), KMH-2100SRJZ†(3), F-2001MRJZ†(3)(-C)	130 Lbs.	HS-5323	HS-5324	HS-5325
URC-26JZ†	KM-2600SRJZ3†	150 Lbs.	HS-5323	HS-5324	HS-5325

†Always pair the "Z" series remote condensers with the "Z" series ice makers.
Call factory for more information.

Line Sets - BRAZING REQUIRED					
Remote Condenser	Ice Machines	Shipping Weight	25' Length	35' Length	55' Length
SRC-10J	FS-1001MLJ-C, FS-1022MLJ-C	200 Lbs.	HS-5299*	HS-5300*	HS-5301*
SRK-10J	KMS-822MLJ	230 Lbs.	HS-0250*	HS-0251*	HS-0252*
SRK-12J SRK-12J3	KMS-1122MLJ	275 Lbs.	HS-0250*	HS-0251*	HS-0252*
SRC-14J	FS-1501MLJ-C	220 Lbs.	HS-5323*	HS-5324*	HS-5325*
SRK-15J SRK-15J3	KMS-1402MLJ	275 Lbs.	HS-0250*	HS-0251*	HS-0252*
SRK-20J SRK-20J3	KMS-2000MLJ	345 Lbs.	HS-0243*	HS-0244*	HS-0245*

*Line sets require refrigerant



WATER FILTRATION

Model Number	Description	Undercounter KMs	KM Cubers	IM Cubers	Flakers / Cubelet	DCMs
H9320-51 Use E-10 10" Prefilter	Single	AM-50, KM-81, 116, 161 KM-231, 301	KM-350, 520, 660 KML-325, 500, 700 KMD-410, 460, 530 DKM-500	IM-200,500 IM-50BAA-LM	All Models	All Models
H9320-52 Use E-20 20" Prefilter	Twin	N/A	KM-901, 1100, KMD-860 KMS-822, 1122, 1402	IM-50BAA-Q	N/A	N/A
H9320-53 Use E-20 20" Prefilter	Triple	N/A	KM-1301, 1340, 1601, 1900, KM-2200, 2600 KMH-2100 KMS-2000	N/A	N/A	N/A
H9655-11	Replacement Cartridge (1) One each					

Recommended water filter configurations based on average ice machine usage and regular filter replacement. If your operation has challenging water conditions or higher usage, then it may be necessary to use an additional filter or prefilter.

Water Filters	Description	Height of System (Manifold + Cartridge)	List F.O.B. Griffin
H9320-51	Single	18.4" H	\$480
H9320-52	Twin	19.11" H	\$810
H9320-53	Triple	19.15" H	\$1,130
H9320-54	Single	18.1" H	\$520
H9655-11	Replacement Cartridge each		\$200
H9655-06	Replacement Cartridge (6 pk)		\$910
H9655-08	4H-SI Cartridge (1 pk)	18.1" H	\$360

Prefilters	Description	Height of System (Manifold + Cartridge)	List F.O.B. Griffin
9534-26	E-20 Replacement Cartridges (6 pk)		\$220
9534-12	E-10 Replacement Cartridges (12 pk)		\$230
9534-20	E-20 Replacement Cartridges (20 pk)		\$470
9534-40	E-10 Replacement Cartridges (40 pk)		\$450
9795-80	E-10 Prefilter (10")		\$280
9795-90	E-20 Prefilter (20")		\$360



Triple Configuration Shown
(Single and Twin Configurations Available)



ICE MACHINE ACCESSORIES

Model Number	Description Flow Rate (Gal. per min.)	Undercounter KMs	KM Cubers	IM Cubers	Flakers / Cubelet	DCMs
HS-5282	Low Flow (.34 GPM)	AM-51B, KM-81B, KM-161B	N/A	N/A	All Models	N/A
HS-5283	Standard Flow (1.3 GPM)	KM-231B, KM-301B	KM-350M, KML-325M, 500M, KMD-410M, DKM-500B	IM-200BAB IM-500SAA IM-50BAA	N/A	N/A
HS-5284	Fast Flow (4.2 GPM)	N/A	KM - 520M, 660M, 901M, 1100M, 1301S, 1340M, 1601M, 1601S, 1900S, 2200S, 2600S KMD - 460M, 530M, 860M, 901M, KML-700M KMS - 822M, 830M, 1122M, 1402M, 2000M KMH-2100S	N/A	N/A	N/A
HS-5285	Replacement Cartridge (1) One each					

Model Number	Description	Overall Dimensions Model W x D x H	List F.O.B. Griffin
HS-5282	Low Flow (.34 GPM)	3.8" x 3.6" x 8.0"	\$1,090
HS-5283	Standard Flow (1.3 GPM)	3.8" x 3.6" x 8.0"	\$1,090
HS-5284	Fast Flow (4.2 GPM)	5.98" x 3.6" x 9.28"	\$1,090
HS-5285	Replacement Cartridge each		\$640



HS-5282
EcO₃Ice Low Flow
Ozone System



HS-5284
EcO₃Ice Fast Flow
Ozone System



HS-5285
EcO₃Ice Ozone
System
Replacement
Cartridge

EcO₃Ice™



Remote Monitoring System

For use on Hoshizaki KM Cuber ice machines

Model Number	For use with	Shipping Length	Shipping Width	Shipping Height	Shipping Weight	List F.O.B. Griffin
HS-5562	KM Cuber ice machines Not for use with KMD-410	8"	8"	3"	1 lb.	\$800

- Performance dashboard for status, historical data
- Alert notification by email or text
- Remotely diagnose machines
- Control functions: ON/OFF, Reset, Lock-down

